

TAG	FIELD NAME	FIELD REPEATABLE	SUBFIELD OR OFFSET	SUBFIELD OR OFFSET NAME	SUBFIELD OR OFFSET REPEATABLE	DESCRIPTION	EXAMPLE	NOTE
-----	------------	------------------	--------------------	-------------------------	-------------------------------	-------------	---------	------

Subject Record (MARC21 format)

Record Leader

TAG	FIELD NAME	FIELD REPEATABLE	SUBFIELD OR OFFSET	SUBFIELD OR OFFSET NAME	SUBFIELD OR OFFSET REPEATABLE	DESCRIPTION	EXAMPLE	NOTE
	Leader	N						
0-4	Logical Record Length				N	Length of the record.	01890	Total number of characters in the record; including the record terminator character.
5	Record Status				N	An alphabetical code indicating n if the record is new (n), corrected/revised (c), or deleted (d).		
6	Type of Record				N	Type of record (z indicates "authority")	z	
7-8	undefined				N		[spaces]	
9	Character Coding Scheme				N	Whether the MARC-8 or Unicode character set is used. Space indicates MARC-8.	[space]	
10	Indicator Count				N	Number of character positions used for indicators at the beginning of variable fields.	2	
11	Subfield Code Length				N	Number of character positions used for each subfield code in a variable data field.	2	
12-16	Base Address of Data				N	Offset of the first Control or Data Field in the record	00337	
17	Encoding Level				N	A one-character code that indicates whether the record is complete.	n	n = Complete authority record; the record meets national level record requirements.
18-19	undefined				N		[spaces]	
20	Length of Field Length				N	Length of the length-of-field portion of Directory entries.	4	
21	Starting Character Length				N	Length of the starting-character-position portion of Directory entries.	5	
22	Implementation Position				N	Length of the implementation-defined portion of Directory entries.	0	
23	undefined				N		0	

Record Directory

	Directory Entry	Y						Directory begins at position 24, and subsequent positions are counted from there. This set of fields repeats.
--	-----------------	---	--	--	--	--	--	---

TAG	FIELD NAME	FIELD REPEATABLE	SUBFIELD OR OFFSET	SUBFIELD OR OFFSET NAME	SUBFIELD OR OFFSET REPEATABLE	DESCRIPTION	EXAMPLE	NOTE
			0-2	tag	N	Three-digit number that identifies a control or variable field.	1	
			3-6	field length	N	Number of characters in the field.	6	
			7-11	starting character position	N	The character position of the first character of the field relative to the Base Address of Data in bytes 12-16 of the Leader.	0	
Control Fields								
001	Subject ID	N				A numeric code that uniquely identifies each entity in the Getty system.	300021140	
008	Fixed Fields	N					040630990729nf annnnaabn a a a c	
			0-5	Date Entered on File	N	The date the record was generated by our output program [yymmdd].	040630	
			6	Direct or Indirect Geographic Subdivision	N	What kind of geographical subdivisions a heading may have.	[space]	[space] = Not subdivided geographically
			7	Romanization Scheme	N	Standard used for romanization of the 150 field.		= No attempt to code.
			8	Language of Catalog	N	Whether the 150 heading is valid according to rules for specific languages	[space]	[space] = no information provided.
			9	Kind of Record	N	Whether the 150 heading is established	a	a = established heading e = AAT Guide Term
			10	Descriptive Cataloging Rules	N	Rules for descriptive cataloging used to make the record.		= no attempt to code
			11	Subject Heading System	N	Indicates the conventions used to formulate the 150 field.	z	r = AAT z = other system
			12	Type of Series	N	Type of series heading in 150 field.	n	n = not applicable.
			13	Numbered or Unnumbered Series	N	Numbering characteristics of the 150 field.	n	n = not applicable.
			14	Heading Use -- Main or Added Entry	N	Indicates if the heading is appropriate as a main or added entry.		= no attempt to code
			15	Heading Use -- Subject Added Entry	N	Indicates if the heading is appropriate as a subject added entry.		= no attempt to code
			16	Heading Use -- Series Added Entry	N	Indicates if the heading is appropriate as a series added entry.		= no attempt to code

TAG	FIELD NAME	FIELD REPEATABLE	SUBFIELD OR OFFSET	SUBFIELD OR OFFSET NAME	SUBFIELD OR OFFSET REPEATABLE	DESCRIPTION	EXAMPLE	NOTE
			17	Type of Subject Subdivision	N	Type of subject subdivision in the 150 field.		= no attempt to code
			18	Record Type	N		p	c = concept, f = facet, g - guide term, h = hierarchy name
			19	Merged Status	N	Whether the record is the result of a merge	m	m = merged, [space] = not merged
			20-23	Sort Order	N	The sort order of this entity under its parent entity	0001	Used to generate a canonical sequence among siblings. If the Sort Orders for all siblings are 0001, they should be sorted alphabetically.
			24-27	undefined	N		[spaces]	
			28	Type of Government Agency	N	Whether the 150 heading represents a government agency.		= no attempt to code
			29	Reference Evaluation	N	Whether the 4xx/5xx tracings have been evaluated for consistency with the rules used to formulate the 150 heading	b	b = tracings are not necessarily consistent
			30	undefined	N		[space]	
			31	Record Update in Process	N	Whether a change to the record is being considered	a	a = record can be used.
			32	Undifferentiated Personal Name	N	Whether the 150 heading is a unique name.	n	n = not applicable = no attempt to code
			33	Level of Establishment	N	Indicates the extent to which the 150 heading conforms to the rules indicated in 008/10-11.	a	a = fully established.
			34-37	undefined	N		[spaces]	
			38	Modified Record	N	Whether the record has been shortened or has characters missing	[space]	[space] = not modified
			39	Cataloging Source	N	Indicates the creator of the record.	d	d = other

Data Fields

035	Legacy ID	N	z	Legacy ID	N		(CMAIG-V)21140	The unique ID of the entity in the previous edition, preceded by the organization code for the Getty Vocabulary Program.
040	Cataloging Source	N	a	Original Cataloging Agency	N		CMAIG-V	
			c	Transcribing Agency	N		CMAIG-V	

TAG	FIELD NAME	FIELD REPEATABLE	SUBFIELD OR OFFSET	SUBFIELD OR OFFSET NAME	SUBFIELD OR OFFSET REPEATABLE	DESCRIPTION	EXAMPLE	NOTE
072	Subject Category Code	N	a	Facet	N	The facet to which the entity belongs		
			x	Special Project	N	The record was added through a special project of the Getty Vocabulary Program.		This may be a Special Thesaurus
			2	Code Source	N		CMAIG-V	
150	Preferred Name	N	a	Term Text	N	The preferred term for the entity followed by the entity's ancestors in parentheses	Renaissance (Renaissance-Baroque styles and periods, European styles and periods, European, styles and periods by region, Styles and Periods, Styles and Periods Facet, Top of AAT)	
			I (eye)	Term ID	N	The unique ID of the term in the Getty system	1000021140	
			Q	Qualifier	N			
			T	Term Type	N		N/A	
			G	Display Name	N		Index	
			H	Historic Flag	N		N/A	
			D	Display Date	N			
			S	Start Date	N			
			E	End Date	N			
			V	Vernacular	N		Vernacular	
			L	Preferred Language	N			Multiple languages are separated by comma-space
			M	Non-Preferred Language	N			Multiple languages are separated by comma-space
			A	AACR2 Flag	N		N/A	
			O (oh)	Other Flags	N		N/A	
			8	Display Order	N		300021140.1	The example shows that this entity is the first in the set of children of 300021140
360	Alternate Term	Y		Subfields the same as for 150, except that the ⌘ a subfield does not include the ancestors				
4xx	Variant Term	Y		Subfields the same as for 150, except that the ⌘ a subfield does not include the ancestor:				
5xx	Related Term	Y	w	Class of Relationship	N	Describes the type of relationship between the 150 and 5xx entities	g	If ⌘ w=g, Indicator 1: 1 = preferred, 0 = non-preferred g = parent relationship n = other relationship
			W	Type of Relationship	N			For ⌘ w = n only
			a	Related Term	N		Renaissance-Baroque styles and periods	In this example, this is the parent of the term
			0 (zero)	Related Subject ID	N		300021031	Subject ID of the related entity.
			H	Historic Flag	N		Historical	
			D	Display Date	N		1733-1736	
			S	Start Date	N		1733	

TAG	FIELD NAME	FIELD REPEATABLE	SUBFIELD OR OFFSET	SUBFIELD OR OFFSET NAME	SUBFIELD OR OFFSET REPEATABLE	DESCRIPTION	EXAMPLE	NOTE	
670	Sources	Y	E	End Date	N		1736	For \$w = n only Indicator 1: 1 = source for Subject (entity), 2 = source for Term, 3 = source for Descriptive Note (680 field) If Indicator 1 = 2, then Indicator 2: 1 = preferred, 0 = non-preferred, 2 = alternate preferred, [space] = unknown	
			N	Note	N				
			a	Source ID	N	Source where data was found	2000043551/Worcester Art Museum Library. List of subject headings, unpub. (1976)		Source ID includes the brief citation
			P b	Page Term	N N	Page reference The Term to which the Source applies	143-150		For Indicator 1 = 2 only
680	Descriptive Note	N	i	Note Text	N	Text of the Descriptive Note	Refers to the intellectual movement, style, and culture that originated in Italy in the late 14th century ...		
			C	Contributor ID	N	ID of the contributing organization	10000000/VP	Contributor ID includes the brief name of the contributor	
905	Hierarchy	N			Y		$\$a$ Styles and Periods Facet $\$b$ Styles and Periods $\$c$ <styles and periods by region> $\$d$ European $\$e$ <European styles and periods> $\$f$ <Renaissance-Baroque styles and periods>	Each ancestor is given its own subfield in sequence beginning with $\$a$	
910	Contributor	Y			Y	Organizations that contributed to the data in the record		Indicator 1: 1 = subject contributor, 2 = term contributor If Indicator 1 = 2, then Indicator 2: 1 = preferred, 0 = non-preferred, 2 = alternate preferred, [space] = unknown	
			a		N	Contributor ID	10000000/VP	Contributor ID includes the brief name of the contributor	
			t		N	Term Contributed		Present only if Indicator 1 = 2	
929	Revision	Y	a	Action	N		updated		
			l (eye)	Revision ID	N		5001298112		
			b	Aspect	N		Term		
			d	Date and Time	N		2001-07-26 22:28:11		
			n	Note	N		Renaissance (1000021140)		
			u	User Name	N		JSMITH		

TAG	FIELD NAME	FIELD REPEATABLE	SUBFIELD OR OFFSET	SUBFIELD OR OFFSET NAME	SUBFIELD OR OFFSET REPEATABLE	DESCRIPTION	EXAMPLE	NOTE
-----	------------	------------------	--------------------	-------------------------	-------------------------------	-------------	---------	------

Contributor Record (MARC21 format)

Record Leader

	Leader	N				Same as for Subject Record except for byte 17		
			17	Encoding Level	N	A one-character code that indicates whether the record is complete.	o	o = Incomplete. Does not meet national level requirements

Record Directory

	Directory Entry	Y				Same as for Subject Record		
--	-----------------	---	--	--	--	----------------------------	--	--

Control Fields

001	Contributor ID	N						
008	Fixed Fields	N					040630 a znn n ana d	
			0-5	Date Entered on File	N	The date the record was generated by our output program [yymmdd].	040630	
			6	Direct or Indirect Geographic Subdivision	N	What kind of geographical subdivisions a heading may have.	[space]	[space] = Not subdivided geographically
			7	Romanization Scheme	N	Standard used for romanization of the 150 field.		= No attempt to code.
			8	Language of Catalog	N	Whether the 150 heading is valid according to rules for specific languages	[space]	[space] = no information provided.
			9	Kind of Record	N	Whether the 150 heading is established	a	a = established heading e = Guide Term
			10	Descriptive Cataloging Rules	N	Rules for descriptive cataloging used to make the record.		= no attempt to code
			11	Subject Heading System	N	Indicates the conventions used to formulate the 150 field.	z	z = other system
			12	Type of Series	N	Type of series heading in 150 field.	n	n = not applicable.
			13	Numbered or Unnumbered Series	N	Numbering characteristics of the 150 field.	n	n = not applicable.
			14	Heading Use -- Main or Added Entry	N	Indicates if the heading is appropriate as a main or added entry.		= no attempt to code
			15	Heading Use -- Subject Added Entry	N	Indicates if the heading is appropriate as a subject added entry.		= no attempt to code
			16	Heading Use -- Series Added Entry	N	Indicates if the heading is appropriate as a series added entry.		= no attempt to code

TAG	FIELD NAME	FIELD REPEATABLE	SUBFIELD OR OFFSET	SUBFIELD OR OFFSET NAME	SUBFIELD OR OFFSET REPEATABLE	DESCRIPTION	EXAMPLE	NOTE
			17	Type of Subject Subdivision	N	Type of subject subdivision in the 150 field.		= no attempt to code
			18-27	undefined	N		[spaces]	
			28	Type of Government Agency	N	Whether the 150 heading represents a government agency.		= no attempt to code
			29	Reference Evaluation	N	Whether the 4xx/5xx tracings have been evaluated for consistency with the rules used to formulate the 150 heading	n	n = not applicable
			30	undefined	N		[space]	
			31	Record Update in Process	N	Whether a change to the record is being considered	a	a = record can be used.
			32	Undifferentiated Personal Name	N	Whether the 150 heading is a unique name.	n	n = not applicable
			33	Level of Establishment	N	Indicates the extent to which the 150 heading conforms to the rules indicated in 008/10-11.	a	a = fully established.
			34-37	undefined	N		[spaces]	
			38	Modified Record	N	Whether the record has been shortened or has characters missing	[space]	[space] = not modified
			39	Cataloging Source	N	Indicates the creator of the record.	d	d = other
			34-37	undefined	N		[spaces]	
			38	Modified Record	N	Whether the record has been shortened or has characters missing	[space]	[space] = not modified
			39	Cataloging Source	N	Indicates the creator of the record.	d	d = other

Data Fields

040	Cataloging Source	N				Same as for Subject Record
110	Contributor	N				
			a	Full Name	N	
			g	Brief Name	N	

Language Record (MARC21 format)

Record Leader

Leader N

Same as for Contributor Record

Record Directory

TAG	FIELD NAME	FIELD REPEATABLE	SUBFIELD OR OFFSET	SUBFIELD OR OFFSET NAME	SUBFIELD OR OFFSET REPEATABLE	DESCRIPTION	EXAMPLE	NOTE
	Directory Entry	Y				Same as for Subject Record		
Control Fields								
001	Language ID	N						
008	Fixed Fields	N				Same as for Contributor Record		
Data Fields								
040	Cataloging Source	N				Same as for Subject Record		
150	Language	N	a	Language Name	N			

Merge Record (MARC21 format)

Record Leader

Leader N Same as for Contributor Record

Record Directory

Directory Entry Y Same as for Subject Record

Control Fields

001 Subject ID N
008 Fixed Fields N Same as for Contributor Record

Data Fields

035	Merge History	N						
			N	New Subject ID	N			
			D	Dominant Subject ID	N			
040	Cataloging Source	N				Same as for Subject Record		

Source Record (MARC21 format)

Record Leader

Leader N Same as for Contributor Record

Record Directory

Directory Entry Y Same as for Subject Record

Control Fields

TAG	FIELD NAME	FIELD REPEATABLE	SUBFIELD OR OFFSET	SUBFIELD OR OFFSET NAME	SUBFIELD OR OFFSET REPEATABLE	DESCRIPTION	EXAMPLE	NOTE
001	Source ID	N						
008	Fixed Fields	N	19	Merged Status	N	Same as for Contributor Record except byte 19 Whether the record is the result of a merge		m = merged, [space] = not merged

Data Fields

040	Cataloging Source	N				Same as for Subject Record		
245	Source	N	a	Brief Citation	N			
			B	Full Citation	N			
			N	Note	N			
929	Revision	Y				Same as for Subject Record		