

TAG	FIELD NAME	FIELD REPEATABLE	SUBFIELD OR OFFSET	SUBFIELD OR OFFSET NAME	SUBFIELD OR OFFSET REPEATABLE	DESCRIPTION	EXAMPLE	NOTE
-----	------------	------------------	--------------------	-------------------------	-------------------------------	-------------	---------	------

## Subject Record (MARC21 format)

### Record Leader

TAG	FIELD NAME	FIELD REPEATABLE	SUBFIELD OR OFFSET	SUBFIELD OR OFFSET NAME	SUBFIELD OR OFFSET REPEATABLE	DESCRIPTION	EXAMPLE	NOTE
	Leader	N						
0-4	Logical Record Length				N	Length of the record.	01890	Total number of characters in the record; including the record terminator character.
5	Record Status				N	An alphabetical code indicating n if the record is new (n), corrected/revised (c), or deleted (d).		
6	Type of Record				N	Type of record (z indicates "authority")	z	
7-8	undefined				N		[spaces]	
9	Character Coding Scheme				N	Whether the MARC-8 or Unicode character set is used. Space indicates MARC-8.	[space]	
10	Indicator Count				N	Number of character positions used for indicators at the beginning of variable fields.	2	
11	Subfield Code Length				N	Number of character positions used for each subfield code in a variable data field.	2	
12-16	Base Address of Data				N	Offset of the first Control or Data Field in the record	00337	
17	Encoding Level				N	A one-character code that indicates whether the record is complete.	n	n = Complete authority record; the record meets national level record requirements.
18-19	undefined				N		[spaces]	
20	Length of Field Length				N	Length of the length-of-field portion of Directory entries.	4	
21	Starting Character Length				N	Length of the starting-character-position portion of Directory entries.	5	
22	Implementation Position				N	Length of the implementation-defined portion of Directory entries.	0	
23	undefined				N		0	

### Record Directory

TAG	FIELD NAME	FIELD REPEATABLE	SUBFIELD OR OFFSET	SUBFIELD OR OFFSET NAME	SUBFIELD OR OFFSET REPEATABLE	DESCRIPTION	EXAMPLE	NOTE
	Directory Entry	Y						Directory begins at position 24, and subsequent positions are counted from there. This set of fields repeats.

TAG	FIELD NAME	FIELD REPEATABLE	SUBFIELD OR OFFSET	SUBFIELD OR OFFSET NAME	SUBFIELD OR OFFSET REPEATABLE	DESCRIPTION	EXAMPLE	NOTE
			0-2	tag	N	Three-digit number that identifies a control or variable field.	1	
			3-6	field length	N	Number of characters in the field.	6	
			7-11	starting character position	N	The character position of the first character of the field relative to the Base Address of Data in bytes 12-16 of the Leader.	0	
<b>Control Fields</b>								
001	Subject ID	N				A numeric code that uniquely identifies each entity in the Getty system.	500000063	
008	Fixed Fields	N					040630990729nf annnnaabn a a a c	
			0-5	Date Entered on File	N	The date the record was generated by our output program [yymmdd].	040630	
			6	Direct or Indirect Geographic Subdivision	N	What kind of geographical subdivisions a heading may have.	[space]	[space] = Not subdivided geographically
			7	Romanization Scheme	N	Standard used for romanization of the 1xx field.		= No attempt to code.
			8	Language of Catalog	N	Whether the 1xx heading is valid according to rules for specific languages	[space]	[space] = no information provided.
			9	Kind of Record	N	Whether the 1xx heading is established	a	a = established heading
			10	Descriptive Cataloging Rules	N	Rules for descriptive cataloging used to make the record.		= no attempt to code
			11	Subject Heading System	N	Indicates the conventions used to formulate the 1xx field.	z	z = other system
			12	Type of Series	N	Type of series heading in 1xx field.	n	n = not applicable.
			13	Numbered or Unnumbered Series	N	Numbering characteristics of the 1xx field.	n	n = not applicable.
			14	Heading Use -- Main or Added Entry	N	Indicates if the heading is appropriate as a main or added entry.		= no attempt to code
			15	Heading Use -- Subject Added Entry	N	Indicates if the heading is appropriate as a subject added entry.		= no attempt to code
			16	Heading Use -- Series Added Entry	N	Indicates if the heading is appropriate as a series added entry.		= no attempt to code

TAG	FIELD NAME	FIELD REPEATABLE	SUBFIELD OR OFFSET	SUBFIELD OR OFFSET NAME	SUBFIELD OR OFFSET REPEATABLE	DESCRIPTION	EXAMPLE	NOTE
			17	Type of Subject Subdivision	N	Type of subject subdivision in the 1xx field.		= no attempt to code
			18	Record Type	N		p	p = person, c = corporate body
			19	Merged Status	N	Whether the record is the result of a merge	m	m = merged, [space] = not merged
			20-23	Sort Order	N	The sort order of this entity under its parent entity	0001	Used to generate a canonical sequence among siblings. If the Sort Orders for all siblings are 0001, they should be sorted alphabetically.
			24-27	undefined	N		[spaces]	
			28	Type of Government Agency	N	Whether the 1xx heading represents a government agency.		= no attempt to code
			29	Reference Evaluation	N	Whether the 4xx/5xx tracings have been evaluated for consistency with the rules used to formulate the 1xx heading	b	b = tracings are not necessarily consistent
			30	undefined	N		[space]	
			31	Record Update in Process	N	Whether a change to the record is being considered	a	a = record can be used.
			32	Undifferentiated Personal Name	N	Whether the 1xx heading is a unique name.	n	n = not applicable   = no attempt to code
			33	Level of Establishment	N	Indicates the extent to which the 1xx heading conforms to the rules indicated in 008/10-11.	a	a = fully established.
			34-37	undefined	N		[spaces]	
			38	Modified Record	N	Whether the record has been shortened or has characters missing	[space]	[space] = not modified
			39	Cataloging Source	N	Indicates the creator of the record.	d	d = other

## Data Fields

035	Legacy ID	N	z	Legacy ID	N		(CMAIG-V)16097	The unique ID of the entity in the previous edition, preceded by the organization code for the Getty Vocabulary Program.
040	Cataloging Source	N	a	Original Cataloging Agency	N		CMAIG-V	
			c	Transcribing Agency	N		CMAIG-V	
1xx	Preferred Name	N						100 or 110

TAG	FIELD NAME	FIELD REPEATABLE	SUBFIELD OR OFFSET	SUBFIELD OR OFFSET NAME	SUBFIELD OR OFFSET REPEATABLE	DESCRIPTION	EXAMPLE	NOTE	
			a	Term Text	N	The preferred term for the entity followed by a biographical phrase in parentheses	Remenick, Seymour (American artist, 1923-)		
			l (eye)	Term ID	N	The unique ID of the term in the Getty system	1500000230		
			Q	Qualifier	N				
			T	Term Type	N		N/A		
			G	Display Name	N		Index		
			H	Historic Flag	N		N/A		
			D	Display Date	N				
			S	Start Date	N				
			E	End Date	N				
			V	Vernacular	N		Vernacular		
			L	Preferred Language	N			Multiple languages are separated by comma-space	
			M	Non-Preferred Language	N			Multiple languages are separated by comma-space	
			A	AACR2 Flag	N		N/A		
			O (oh)	Other Flags	N		N/A		
			8	Display Order	N		500000063.1	The example shows that this entity is the first in the set of children of 500000063	
4xx	Variant Term	Y		Subfields the same as for 1xx, except that the ‡a subfield does not include a biographical phrase					
5xx	Related Term	Y						If ‡w=g, Indicator 1: 1 = preferred, 0 = non-preferred g = parent relationship n = other relationship	
			w	Class of Relationship	N	Describes the type of relationship between the 1xx and 5xx entities	n		
			W	Type of Relationship	N		student of	For ‡w = n only	
			a	Related Term	N		Righini, Pietro		
			0 (zero)	Related Subject ID	N		500033036	Subject ID of the related entity.	
			H	Historic Flag	N		Historical		
			D	Display Date	N		1733-1736		
			S	Start Date	N		1733		
			E	End Date	N		1736		
			N	Note	N			For ‡w = n only	
670	Sources	Y						Indicator 1: 1 = source for Subject (entity), 2 = source for Term, 3 = source for Descriptive Note (678 or 680 field)	
								If Indicator 1 = 2, then Indicator 2: 1 = preferred, 0 = non-preferred, 2 = alternate preferred, [space] = unknown	
			a	Source ID	N	Source where data was found	2100041061/Witt Checklist of Painters c. 1200-1976 (1978)	Source ID includes the brief citation	
			P	Page	N	Page reference	143-150		

TAG	FIELD NAME	FIELD REPEATABLE	SUBFIELD OR OFFSET	SUBFIELD OR OFFSET NAME	SUBFIELD OR OFFSET REPEATABLE	DESCRIPTION	EXAMPLE	NOTE
			b	Term	N	The Term to which the Source applies		For Indicator 1 = 2 only
678	Descriptive Note	N	i	Note Text	N	Text of the Descriptive Note	Painter best known for his bird's-eye view landscapes	
901	Role	Y	C	Contributor ID	N	ID of the contributing organization	2500000013/VP	Contributor ID includes the brief name of the contributor Indicator 1: 1 = preferred, 0 = non-preferred
			a	Role ID	N		31437/printmaker	
			H	Historic Flag	N			
			D	Display Date	N			
			S	Start Date	N			
			E	End Date	N			
			8	Display Order	N		500000063.1	The example shows that this entity is the first in the set of children of 500000063
905	Hierarchy	N			Y		‡aPerson	Each ancestor is given its own subfield in sequence beginning with ‡a
910	Contributor	Y			Y	Organizations that contributed to the data in the record		Indicator 1: 1 = subject contributor, 2 = term contributor  If Indicator 1 = 2, then Indicator 2: 1 = preferred, 0 = non-preferred, 2 = alternate preferred, [space] = unknown
			a		N	Contributor ID	2500000013/VP	Contributor ID includes the brief name of the contributor
915	Biography	Y	t		N	Term Contributed		Present only if Indicator 1 = 2 Indicator 1: 1 = preferred, 0 = non-preferred
			a	Biography Text	N		American artist, 1923-	
			l (eye)	Biography ID	N		4000000174	
			b	Birth Date	N		1923	
			c	Birth Place	N			
			f	Death Date	N		2023	
			g	Death Place	N			
			k	Sex	N		Male	
			m	Contributor	N		WCP	
920	Event	Y	a	Event ID	N		12002/active	Indicator 1: 1 = preferred, 0 = non-preferred Event ID includes the name of the event
			D	Display Date	N		1737-1762	
			S	Start Date	N		1737	
			E	End Date	N		1762	
			p	Place	N		42433900002/Naples (Napoli province, Campania, Italy)	

TAG	FIELD NAME	FIELD REPEATABLE	SUBFIELD OR OFFSET	SUBFIELD OR OFFSET NAME	SUBFIELD OR OFFSET REPEATABLE	DESCRIPTION	EXAMPLE	NOTE
925	Nationality	Y	8	Display Order	N		500000722.1	Indicator 1: 1 = preferred, 0 = non-preferred Nationality Code includes the name of the nationality
			a	Nationality Code			902300/Italian	
929	Revision	Y	8	Display Order			500000722.1	
			a	Action	N		added	
			l (eye)	Revision ID	N		5500001999	
			b	Aspect	N		Associative Relationships	
			d	Date and Time	N		2002-02-24 12:24:33	
			n	Note	N		Re, Vincenzo del (500000722)	
							'student of' Righini, Pietro (500033036)	
			u	User Name	N		JSMITH	

## Contributor Record (MARC21 format)

### Record Leader

Leader	N			Same as for Subject Record except for byte 17		
		17	Encoding Level	N	A one-character code that indicates whether the record is complete.	o = Incomplete. Does not meet national level requirements

### Record Directory

Directory Entry	Y			Same as for Subject Record		
-----------------	---	--	--	----------------------------	--	--

### Control Fields

001	Contributor ID	N					
008	Fixed Fields	N					
			0-5	Date Entered on File	N	The date the record was generated by our output program [yymmdd]. 040630   a znn     n ana d 040630	
			6	Direct or Indirect Geographic Subdivision	N	What kind of geographical subdivisions a heading may have. [space]	[space] = Not subdivided geographically
			7	Romanization Scheme	N	Standard used for romanization of the 1xx field. 	= No attempt to code.
			8	Language of Catalog	N	Whether the 1xx heading is valid according to rules for specific languages [space]	[space] = no information provided.
			9	Kind of Record	N	Whether the 1xx heading is established a	a = established heading
			10	Descriptive Cataloging Rules	N	Rules for descriptive cataloging used to make the record. 	= no attempt to code

TAG	FIELD NAME	FIELD REPEATABLE	SUBFIELD OR OFFSET	SUBFIELD OR OFFSET NAME	SUBFIELD OR OFFSET REPEATABLE	DESCRIPTION	EXAMPLE	NOTE
			11	Subject Heading System	N	Indicates the conventions used to formulate the 1xx field.		z = other system
			12	Type of Series	N	Type of series heading in the 1xx field.		n = not applicable.
			13	Numbered or Unnumbered Series	N	Numbering characteristics of the 1xx field.		n = not applicable.
			14	Heading Use -- Main or Added Entry	N	Indicates if the heading is appropriate as a main or added entry.		= no attempt to code
			15	Heading Use -- Subject Added Entry	N	Indicates if the heading is appropriate as a subject added entry.		= no attempt to code
			16	Heading Use -- Series Added Entry	N	Indicates if the heading is appropriate as a series added entry.		= no attempt to code
			17	Type of Subject Subdivision	N	Type of subject subdivision in the 1xx field.		= no attempt to code
			18-27	undefined	N		[spaces]	
			28	Type of Government Agency	N	Whether the 1xx heading represents a government agency.		= no attempt to code
			29	Reference Evaluation	N	Whether the 4xx/5xx tracings have been evaluated for consistency with the rules used to formulate the 1xx heading	n	n = not applicable
			30	undefined	N		[space]	
			31	Record Update in Process	N	Whether a change to the record is being considered	a	a = record can be used.
			32	Undifferentiated Personal Name	N	Whether the 1xx heading is a unique name.	n	n = not applicable
			33	Level of Establishment	N	Indicates the extent to which the 1xx heading conforms to the rules indicated in 008/10-11.	a	a = fully established.
			34-37	undefined	N		[spaces]	
			38	Modified Record	N	Whether the record has been shortened or has characters missing	[space]	[space] = not modified
			39	Cataloging Source	N	Indicates the creator of the record.	d	d = other
			34-37	undefined	N		[spaces]	
			38	Modified Record	N	Whether the record has been shortened or has characters missing	[space]	[space] = not modified
			39	Cataloging Source	N	Indicates the creator of the record.	d	d = other

## Data Fields

TAG	FIELD NAME	FIELD REPEATABLE	SUBFIELD OR OFFSET	SUBFIELD OR OFFSET NAME	SUBFIELD OR OFFSET REPEATABLE	DESCRIPTION	EXAMPLE	NOTE
040	Cataloging Source	N				Same as for Subject Record		
110	Contributor	N	a	Full Name	N			
			g	Brief Name	N			

## Event Record (MARC21 format)

### Record Leader

Leader N Same as for Contributor Record

### Record Directory

Directory Entry Y Same as for Subject Record

### Control Fields

001 Event ID N  
008 Fixed Fields N Same as for Contributor Record

### Data Fields

040	Cataloging Source	N				Same as for Subject Record		
150	Event	N	a	Event Name	N			

## Language Record (MARC21 format)

### Record Leader

Leader N Same as for Contributor Record

### Record Directory

Directory Entry Y Same as for Subject Record

### Control Fields

001 Language ID N  
008 Fixed Fields N Same as for Contributor Record

### Data Fields

040	Cataloging Source	N				Same as for Subject Record		
150	Language	N	a	Language Name	N			

TAG	FIELD NAME	FIELD REPEATABLE	SUBFIELD OR OFFSET	SUBFIELD OR OFFSET NAME	SUBFIELD OR OFFSET REPEATABLE	DESCRIPTION	EXAMPLE	NOTE
-----	------------	------------------	--------------------	-------------------------	-------------------------------	-------------	---------	------

## Merge Record (MARC21 format)

### Record Leader

Leader	N					Same as for Contributor Record		
--------	---	--	--	--	--	--------------------------------	--	--

### Record Directory

Directory Entry	Y					Same as for Subject Record		
-----------------	---	--	--	--	--	----------------------------	--	--

### Control Fields

001	Subject ID	N						
008	Fixed Fields	N				Same as for Contributor Record		

### Data Fields

035	Merge History	N						
			N	New Subject ID	N			
			D	Dominant Subject ID	N			
040	Cataloging Source	N				Same as for Subject Record		

## Nationality Record (MARC21 format)

### Record Leader

Leader	N					Same as for Contributor Record		
--------	---	--	--	--	--	--------------------------------	--	--

### Record Directory

Directory Entry	Y					Same as for Subject Record		
-----------------	---	--	--	--	--	----------------------------	--	--

### Control Fields

001	Nationality Code	N						
008	Fixed Fields	N				Same as for Contributor Record		

### Data Fields

040	Cataloging Source	N				Same as for Subject Record		
151	Nationality	N	a	Nationality Name	N			

## Place Record (MARC21 format)

TAG	FIELD NAME	FIELD REPEATABLE	SUBFIELD OR OFFSET	SUBFIELD OR OFFSET NAME	SUBFIELD OR OFFSET REPEATABLE	DESCRIPTION	EXAMPLE	NOTE
<b>Record Leader</b>								
	Leader	N				Same as for Contributor Record		
<b>Record Directory</b>								
	Directory Entry	Y				Same as for Subject Record		
<b>Control Fields</b>								
001	Place ID	N						
008	Fixed Fields	N				Same as for Contributor Record		
<b>Data Fields</b>								
040	Cataloging Source	N				Same as for Subject Record		
151	Place	N	a	Place Name	N			

## Role Record (MARC21 format)

<b>Record Leader</b>								
	Leader	N				Same as for Contributor Record		
<b>Record Directory</b>								
	Directory Entry	Y				Same as for Subject Record		
<b>Control Fields</b>								
001	Role ID	N						
008	Fixed Fields	N				Same as for Contributor Record		
<b>Data Fields</b>								
040	Cataloging Source	N				Same as for Subject Record		
150	Role	N	a	Role Name	N			

## Source Record (MARC21 format)

<b>Record Leader</b>								
	Leader	N				Same as for Contributor Record		
<b>Record Directory</b>								

TAG	FIELD NAME	FIELD REPEATABLE	SUBFIELD OR OFFSET	SUBFIELD OR OFFSET NAME	SUBFIELD OR OFFSET REPEATABLE	DESCRIPTION	EXAMPLE	NOTE
-----	------------	------------------	--------------------	-------------------------	-------------------------------	-------------	---------	------

	Directory Entry	Y				Same as for Subject Record		
--	-----------------	---	--	--	--	----------------------------	--	--

**Control Fields**

001	Source ID	N						
008	Fixed Fields	N	19	Merged Status	N	Same as for Contributor Record except byte 19 Whether the record is the result of a merge		m = merged, [space] = not merged

**Data Fields**

040	Cataloging Source	N				Same as for Subject Record		
245	Source	N						
			a	Brief Citation	N			
			B	Full Citation	N			
			N	Note	N			
929	Revision	Y				Same as for Subject Record		