














GREEK 2258



Language of Bindings thesaurus



Progress

- Number of concepts relatively stable (~700)
 - Bookbinding manual publication

Top terms (inspired by CRM)

- objects
- features
- materials
- places
- techniques

Progress

- Number of concepts relatively stable (~700)
 - Bookbinding manual publication
- First level of hierarchies complete
 - Preliminary work done for others

Progress

- Number of concepts relatively stable (~700)
 - Bookbinding manual publication
- First level of hierarchies complete
 - Preliminary work done for others
- Thesaurus website up and running

Language of Bindings



Add content Concept hierarchy Search terms My account Log out

endband cores

View Edit Translate Grant

Getty record: not matched.

English scope note:

Endband cores are lengths of material, both flexible and, occasionally, inflexible, which are either sewn to the head and tail of the spine of a bookblock in a worked endband, or are incorporated into a stuck-on endband. They can be single or multiple but they should be described individually as separate endband components. They can be made out of a variety of materials and can extend onto the boards where they can be fastened through a variety of techniques or can be cut straight to the bookblock spine edge. Endband cores which extend and are fastened to the boards play a crucial role in the reinforcement of the attachment between the boards and the bookblock especially so in Greek-style bindings. Their number can vary from one to as many as 7 or even more according to the sewing technique used. A core may consist of a single cord or other material length, or from multiple lengths of the same material, for example a bundle of thin threads used together as to form a single cord. They are described starting from the core immediately on top of (or better say adjacent to?) the bookblock head or tail edge proceeding outwards.

Submitted by admin on Tue, 15/07/2014 - 14:03

Preferred label:

endband cores

Parent:

[+]components

[x]endband cores [x]

Follow

For insertion

Under construction

For approval

Approved

LB Language of Bindings



Add content Concept hierarchy Search terms My account Log out

endband cores

View Edit Translate Grant

Getty record: not matched.

English scope note:

Endband cores are lengths of material, both flexible and, occasionally, inflexible, which are either sewn to the head and tail of the spine of a bookblock in a worked endband, or are incorporated into a stuck-on endband. They can be single or multiple but they should be described individually as separate endband components. They can be made out of a variety of materials and can extend onto the boards where they can be fastened through a variety of techniques or can be cut straight to the bookblock spine edge. Endband cores which extend and are fastened to the boards play a crucial role in the reinforcement of the attachment between the boards and the bookblock especially so in Greek-style bindings. Their number can vary from one to as many as 7 or even more according to the sewing technique used. A core may consist of a single cord or other material length, or from multiple lengths of the same material, for example a bundle of thin threads used together as to form a single cord. They are described starting from the core immediately on top of (or better say adjacent to?) the bookblock head or tail edge proceeding outwards.

Submitted by admin on Tue, 15/07/2014 - 14:03

Preferred label:

endband cores

Parent:

[+]components

[x]endband cores [x]

- Follow
- For insertion
- Under construction
- For approval
- Approved

scope note
(longish)

LB Language of Bindings



Add content Concept hierarchy Search terms My account Log out

endband cores

View Edit Translate Grant

Getty record: not matched.

English scope note:

Endband cores are lengths of material, both flexible and, occasionally, inflexible, which are either sewn to the head and tail of the spine of a bookblock in a worked endband, or are incorporated into a stuck-on endband. They can be single or multiple but they should be described individually as separate endband components. They can be made out of a variety of materials and can extend onto the boards where they can be fastened through a variety of techniques or can be cut straight to the bookblock spine edge. Endband cores which extend and are fastened to the boards play a crucial role in the reinforcement of the attachment between the boards and the bookblock especially so in Greek-style bindings. Their number can vary from one to as many as 7 or even more according to the sewing technique used. A core may consist of a single cord or other material length, or from multiple lengths of the same material, for example a bundle of thin threads used together as to form a single cord. They are described starting from the core immediately on top of (or better say adjacent to?) the bookblock head or tail edge proceeding outwards.

Submitted by admin on Tue, 15/07/2014 - 14:03

Preferred label:

endband cores

Parent:

[+]components

[x]endband cores [x]

- Follow
- For insertion
- Under construction
- For approval
- Approved

hierarchy
(Α-ΑΑΑ)

LB Language of Bindings



Add content Concept hierarchy Search terms My account Log out

endband cores

View Edit Translate Grant

Getty record: not matched.

English scope note:

Endband cores are lengths of material, both flexible and stiff, which are either sewn to the head and tail of the spine of a bookblock in a worked endband or are inserted into a stuck-on endband. They can be single or multiple but they should be described as such. They can be made out of a variety of materials and can be cut straight through a variety of techniques or can be cut straight across. Endband cores which extend and are fastened to the boards play a crucial role in the reinforcement of the attachment between the boards and the bookblock especially so in Greek-style bindings. Their number can vary from one to as many as 7 or even more according to the sewing technique used. A core may consist of a single cord or other material length, or from multiple lengths of the same material, for example a bundle of thin threads used together as to form a single cord. They are described starting from the core immediately on top of (or better say adjacent to?) the bookblock head or tail edge proceeding outwards.

workflow based on FORTH's webTMS

- Follow
- For insertion
- Under construction
- For approval
- Approved

Submitted by admin on Tue, 15/07/2014 - 14:03

Preferred label:

endband cores

Parent:

[+]components

[x]endband cores [x]

LB Language of Bindings



Add content Concept hierarchy Search terms My account Log out

endband cores

View Edit Translate Grant

Getty record: not matched.

English scope note:

Endband cores are lengths of material, both flexible and stiff, which are either sewn to the head and tail of the spine of a bookblock in a worked endband or are attached to a stuck-on endband. They can be single or multiple but they should be described as separate endband components. They can be made out of a variety of materials and can be cut straight or curved so that they can be fastened through a variety of techniques or can be cut straight across. Endband cores which extend and are fastened to the boards play a crucial role in the reinforcement of the attachment between the boards and the bookblock especially so in Greek-style bindings. Their number can vary from one to as many as 7 or even more according to the sewing technique used. A core may consist of a single cord or other material length, or from multiple lengths of the same material, for example a bundle of thin threads used together as to form a single cord. They are described starting from the core immediately on top of (or better say adjacent to?) the bookblock head or tail edge proceeding outwards.

users can follow terms

- Follow
- For insertion
- Under construction
- For approval
- Approved

Submitted by admin on Tue, 15/07/2014 - 14:03

Preferred label:

endband cores

Parent:

[+]components


[x]endband cores [x]

This (academic) year

- Thesaurus to be openly accessible
- Add more sources
- Match AAT terms
- purl urls (instead of ligatus.org.uk)

2

Drupal plugin for “Getty vocabularies” (?)



Why Drupal?



Search Drupal.org

Search input field with a magnifying glass icon and a green 'Search' button.

Refine your search

- All
- Themes
- Forums & Issues
- Modules
- Documentation
- Groups

Come for the software, stay for the community


Drupal is an open source content management platform powering millions of websites and applications. It's built, used, and supported by an active and diverse community of people around the world.

Drupal Homepage You are here Logged in as natuk Log out

Why Choose Drupal

Use Drupal to build everything from personal blogs to enterprise applications. It's built, used, and supported by an active and diverse community of people around the world. You can also benefit from a large number of add-on modules and distributions that can be used on any site you can imagine.

Get Started with Drupal



Sites Made with Drupal



CHATHAM HOUSE
The Royal Institute of International Affairs

Chatham House


Drupal is used by some of the biggest sites on the Web, like [The Economist](#), [Examiner.com](#) and [The White House](#). Read more [Drupal case studies](#).

Drupal Distributions

Distributions are a collection of pre-configured themes and modules for feature-rich web sites giving you a head start on building your site. Build your own online communities, media portal, online store, and more!

Learn about Distributions

Develop with Drupal

 **Drupal 8 is coming soon** and you can [read all about it here](#). You can also help build Drupal 8 by volunteering for development, design and testing work. [Get started now.](#)

27,702 Modules	This week
2,031 Themes	2,736 Code commits
834 Distributions	4,225 Issue comments
34,786 Developers	

[Drupal Core](#)
[Security Info](#)
[Developer Docs](#)
[API Docs](#)

Looking for a Drupal Hosting plan?

Find Drupal hosting plans



1,098,945 people in 230 countries* speaking 181 languages power Drupal.

Download & Extend

Download & Extend Home **Drupal Core** Distributions Modules Themes

Usage statistics for *Drupal core*


This page provides information about the usage of the *Drupal core* project, including summaries across all versions of the project. For each week beginning on the given date the figures show the number of sites that reported the version of the project.

These statistics are incomplete; only Drupal websites using the **Update Status** module are included in the data. Since version 6.x, the data is heavily biased toward newer sites. [Read more information about how these statistics are calculated.](#)

> one million installations

[Drupal core project page](#)
[Usage statistics for all projects](#)

Weekly project usage



Week	5.x	6.x	7.x	8.x	Total
August 17, 2014	3,780	183,616	896,524	884	1,084,804
August 10, 2014	3,943	188,706	901,076	896	1,094,621
August 3, 2014	3,661	196,390	914,987	955	1,115,993
July 27, 2014	3,515	194,317	894,725	845	1,093,402

Drupal™

Come for the software, stay for the community

Drupal is an open source content management platform powering millions of websites and applications. It's built, used, and supported by an active and diverse community of people around the world.

Search Drupal.org

Refine your search

- All
- Themes
- Forums & Issues
- Modules
- Documentation
- Groups

Drupal Homepage

Your Dashboard

Logged in as natuk Log out

Why Choose Drupal?

Use Drupal to build everything from personal blogs to enterprise applications. Thousands of add-on modules and designs let you build any site you can imagine. Join us!

Get Started with Drupal

Drupal Distributions

Distributions are a collection of pre-configured themes and modules for feature-rich web sites giving you a head start on building your site. Build your own online communities, media portal, online store, and more!

Learn about Distributions

Sites Made with Drupal



Chatham House

Drupal is used by... on the Web, like The Examiner.com and The Chatham House. Read more Drupal case studies.

> one million drupal.org users

Develop with Drupal



Drupal™

Drupal 8 is coming soon and you can read all about it here. You can also help build Drupal 8 by volunteering for development, design and testing work. Get started now.

- 2 Modules
- 1 Themes
- 4 Distributions
- 5 Developers

This week
2,736 Code commits
4,225 Issue comments

- 1 Core
- 1 Community Info
- 1 Developer Docs
- 1 API Docs

Looking for a Drupal Hosting plan?

Find Drupal hosting plans



1,098,945 people in 230 countries* speaking 181 languages power Drupal.

Refine your search

- All
- Themes
- Forums & Issues
- Modules
- Documentation
- Groups

[Drupal Homepage](#)

[Your Dashboard](#)

Logged in as natuk [Log out](#)

Why Choose Drupal?

Use Drupal to build everything from personal blogs to enterprise applications. Thousands of add-on modules and designs let you build any site you can imagine. Join us!

[Get Started with Drupal](#)

Drupal Distributions

Distributions are a collection of pre-configured themes and modules for feature-rich web sites giving you a head start on building your site. Build your own online communities, media portal, online store, and more!

[Learn about Distributions](#)

Sites Made with Drupal



CHATHAM HOUSE
The Royal Institute of International Affairs

Chatham House

Drupal is used by some of the biggest sites on the Web, like [The Economist](#), [Examiner.com](#) and [The White House](#). Read more [Drupal case studies](#).

Develop with Drupal

 **Drupal 8 is coming soon** and you can [read all about it here](#). You can also help build Drupal 8 by volunteering for development, design and testing work. [Get started now.](#)

27,702 **Modules**
2,031 **Themes**
1,234 **Distributions**
34 **Developers**

This week
2,736 **Code commits**
4,225 **Issue comments**


[Drupal 8 Security Implications](#)
[Developer Docs](#)
[API Docs](#)

[Look up a Drupal distribution](#)
[Find Drupal distributions](#)

culture organisations




Categories: Arts , Blogging , Community ,
Media , Publishing , Social Networking




TrueLinked - Classical Artists Social Network

Categories: Arts , Community , Entertainment , Music , Social Networking , Startups



Daanoe Photography

Categories: Arts




Porwin.com

Categories: Arts , Entertainment , Media



Type It Out

Categories: Arts



Browse by category

Arts (39)

Banking and Financial (14)

Beauty and Fashion (10)

Blogging (41)

Community (74)

E-Commerce (72)

Education (65)

Enterprise (33)

Entertainment (52)

Government (26)

Healthcare (41)

Legal Industry (3)

Manufacturing and Energy (11)

Media (66)

Music (17)

Non-profit (67)

Publishing (38)

Real Estate (19)

Religious organizations (6)

Retail and Distribution (20)

Small business (71)

Social Networking (36)

Sports (30)

Startups (34)

Technology (66)

Telecommunications (5)

Travel and Hospitality (22)

Urban planning (3)

Routine problems

- Security
- User management
- Revisions (user logging, date logging etc.)
- Comments – discussions

All come as standard.

Community Documentation

[Community Docs Home](#)[Installation Guide](#)[Administration Guide](#)

About Taxonomy

*Last updated December 5, 2012. Created by [LeeHunter](#) on April 18, 2010.
Edited by [ctarcy](#), [acmaintainer](#), [gisle](#), [chrisjlee](#). [Log in to edit this page](#).*

[Taxonomy](#) is the practice of classifying things. In Drupal, the Taxonomy module is how you classify your website content, and it is an important piece of many sites' information architecture.

It's helpful to think of taxonomy in terms of "categories." In fact, this is what it was called in earlier versions of Drupal. Taxonomy lets you gather together content under one term or another. It has become advanced enough to give you as much flexibility as you need in designing classification schemes.

Planning Taxonomies

The first step in establishing a taxonomy is creating a new Vocabulary. Next you provide the terms that fall within that Vocabulary. The arrangement can be "flat," as in a tagging system, or hierarchical, with parents and children.

Here's how you might create a taxonomy for a site arranged by musical genre:

Vocabulary = Music

term = Classical

sub-term = Concertos

sub-term = Sonatas

sub-term = Symphonies

Page status

Needs copy/style review

[Log in to edit this page](#)

About this page

Drupal version

Drupal 5.x, Drupal 6.x, Drupal 7.x

Audience

Site administrators, Site users

Keywords

taxonomy , taxonomy term

Structure Guide

- ▶ [Working with nodes, content types and fields](#)
- ▼ [Organizing Content with Taxonomy](#)



RDFa Core 1.1

Syntax and processing rules for embedding RDF through attributes

W3C Recommendation 07 June 2012

This version:

<http://www.w3.org/TR/2012/REC-rdfa-core-20120607/>

Latest published version:

<http://www.w3.org/TR/rdfa-core/>

Previous version:

<http://www.w3.org/TR/2012/PR-rdfa-core-20120508/>

Previous, 1.0 version of the Recommendation:

<http://www.w3.org/TR/2008/REC-rdfa-syntax-20081014/>

Editors:

Ben Adida, Creative Commons, ben@adida.net

Mark Birbeck, webBackplane, mark.birbeck@webBackplane.com

Shane McCarron, Applied Testing and Technology, Inc., shane@aptest.com

Ivan Herman, W3C, ivan@w3.org

Please refer to the [errata](#) for this document, which may include some normative corrections.

This document is also available in these non-normative formats: [Diff from Proposed Recommendation](#), [PostScript version](#)

The English version of this specification is the only normative version. Non-normative [translations](#) may also be available

[Copyright](#) © 2007-2012 W3C® (MIT, ERCIM, Keio), All Rights Reserved. W3C [liability](#), [trademark](#) and [document use](#) rules apply.

[Abstract](#)

Download & Extend

[Download & Extend Home](#)[Drupal Core](#)[Distributions](#)[Modules](#)[Themes](#)

RDF Extensions

[View](#) [Version control](#)

Posted by [scor](#) on *May 7, 2011 at 2:39am*

RDF Extensions is the [new home](#) of the RDF project in contrib for Drupal 7. To upgrade from the previous RDF project to this new RDFx project, make sure to remove your `sites/all/modules/rdf` directory, and install the RDFx as you would install any project.

If you are new to RDF, [watch this introduction](#).

Drupal 7

Drupal 7 core includes an RDF module which outputs RDFa. If you want to learn more about RDF in core, [see the documentation](#).

This contributed RDF project includes the following modules:

- **RDFx**: extends core RDF support by providing extra APIs and additional serialization formats such as RDF/XML, NTriples, Turtle... (requires the [RESTful Web Services](#) module). Browse to `node/1.rdf` or `node/1.nt` to export RDF.
- **RDF UI**: allows site administrators to specify the RDF mappings via a user interface
- **Evoc**: user interface to import vocabularies which can be used in RDF UI

Dependencies

This project requires the [Entity API](#) module.

Maintainers for RDF Extensions

[scor](#) - 136 commits
last: 3 weeks ago, first: 3 years ago

[linclark](#) - 29 commits
last: 1 year ago, first: 2 years ago

[View all committers](#)

[View commits](#)

Issues for RDF Extensions

To avoid duplicates, please search before submitting a new issue.

[Advanced search](#)

All issues
[71 open](#), [152 total](#)

Bug reports
[19 open](#), [49 total](#)



scor
Stéphane Corlosquet
@scorlosquet



linclark
Lin Clark
@linclark



jneubert
Joachim Neubert

Download & Extend

[Add Issues for SPARQL to dashboard +](#)

SPARQL

[View](#) [Version control](#) [Revisions](#) [Automated Testing](#)

Posted by [Arto](#) on *February 17, 2008 at 7:22pm*

SPARQL is a query language for pattern matching against RDF graphs. The syntax resembles SQL, making for a friendly learning curve, but SPARQL is far more powerful, enabling queries spanning multiple disparate (local or remote) data sources containing heterogeneous semistructured data.



Drupal 7

There is a Drupal 7 port underway. This is a different take on the module which only includes the core SPARQL API functionality. This project also include the SPARQL registry module and the SPARQL endpoint module.

The SPARQL module requires the [RDF Extensions](#) module.

The Drupal 7 version of this project is currently maintained by [Stéphane Corlosquet](#), [Lin Clark](#) and [Remon Georgy](#).

Drupal 6

This is a module that enables the use of SPARQL queries with the [RDF API](#) for Drupal 6.x. For more information, read [the introductory posting](#) or watch the [demo video](#). Be sure to subscribe to the [Semantic Web](#) group on groups.drupal.org to keep up with the latest happenings.

This module requires [PHP 5.2](#) or newer, and makes use of the [ARC2](#) library which must be installed per the [instructions](#) provided with the RDF API.

The Drupal 6 version of this project was being developed by [Arto Bendiken](#), [Ben Lavender](#) and [Miglius Alaburda](#). Development has been in part sponsored by [OpenBand](#) and [MakaluMedia](#).

Project Information

Maintainers for SPARQL

[scor](#) - 12 commits
last: 11 months ago, first: 3 years ago

[linclark](#) - 16 commits
last: 3 years ago, first: 3 years ago

[Remon](#) - 10 commits
last: 3 years ago, first: 3 years ago

[JeremyFrench](#) - 3 commits
last: 4 years ago, first: 4 years ago

[Arto](#) - 6 commits
last: 5 years ago, first: 6 years ago

[View all committers](#)
[View commits](#)

Issues for SPARQL

To avoid duplicates, please search before submitting a new issue.

[Advanced search](#)

All issues

31 open, 85 total

Bug report

16 open, 33 total

[Subscribe via e-mail](#)

[Statistics](#)

Why Drupal?

- Open source
- Large user base
- Popular with heritage organisations
- Tradition with vocabulary management (Taxonomy module)
- RDFa out of the box
- Contributed SPARQL modules
- Strong community
- User management
- Revision management
- Security
- Modular design
- Good API
- ...

Previous work

- Web taxonomy module (Lin Clarke, Joachim Neubert)
 - create plugins for different vocabularies

Download & Extend

[Add Issues for Web Taxonomy to dashboard +](#)

Web Taxonomy

[Version control](#) [Revisions](#) [Automated Testing](#)

Posted by [linclark](#) on *November 3, 2011 at 10:50am*

Allows you to define an external source for the Taxonomy Autocomplete field (i.e. a web service delivering a JSON list of Drupal modules, or an XML service delivering a list of descriptors from a thesaurus, or a SPARQL endpoint with RDF data). Multiple unrelated sites can connect to the same taxonomy. A local version of the term will be created and can be synced with the external term in the centralized vocabulary.

This is especially useful for combining information from many different sites when information is exposed with HTML data syntaxes like RDFa or microdata, or for linking Drupal contents to the [Linked Data Cloud](#). (BTW, the storage of local "proxies" for the remote taxonomy terms implements a pattern currently discussed as "lightweigt abstraction layer" in the context of [BIBFRAME Authorities](#).)

Plugins

The module is crafted to be extended by plugins, which implement the web access to a given taxonomy. [Web taxonomy plugin for DBpedia](#) may serve as an example for such a plugin. You can find other examples for [Drupal modules](#), [Economics taxonomies](#), the [VIAF international authority file](#) or the [Getty Arts and Architecture thesaurus](#) in the sandboxes of the respective developers.

Background

An [article](#) by Lin Clark on IBM developerWorks demonstrates in detail how Web Taxonomy can be integrated into a larger usage scenario.

Credits

The Web Taxonomy module was developed by [linclark](#). Since 2014 it is maintained by [jneubert](#); this work is supported by [ZBW - Leibniz Information Centre for Economics](#).

Maintainers for Web Taxonomy

[jneubert](#) - 2 commits
last: 5 months ago, first: 5 months ago

[linclark](#) - 19 commits
last: 2 years ago, first: 2 years ago

[View all committers](#)
[View commits](#)

Issues for Web Taxonomy

To avoid duplicates, please search before submitting a new issue.

[Advanced search](#)

All issues

7 open, 23 total

Bug report

0 open, 4 total

[Subscribe via e-mail](#)

Statistics

New issues 0

Response rate 0 %

1st response 0 hours

Open bugs 0

Previous work

- Web taxonomy module (Lin Clarke, Joachim Neubert)
 - create plugins for different vocabularies
- DBpedia plugin (Joachim Neubert)

Download & Extend

Add Issues for Web Taxonomy plugin for DBpedia to dashboard +

Web Taxonomy plugin for DBpedia

View Version control Revisions Automated Testing

Posted by [jneubert](#) on September 22, 2012 at 6:31am

This module lets you use the terms of the [DBpedia](#) data set as a web-based taxonomy in Drupal. DBpedia is a project which extracts page titles and other structured information from Wikipedia, and serves as a linking hub for the [Web of Data](#). Currently, the English version of DBpedia is used. Since the module works as a plugin for the [Web Taxonomy](#) module, this module is required as a dependency.

Furthermore, the plugin depends on two free external web services: The [DBpedia Lookup](#) service is accessed for autocomplete. Terms are fetched from [DBpedia LOD resources](#).

The development of the module is supported by [ZBW - Leibniz Information Centre for Economics](#).

Project Information

Maintenance status: [Actively maintained](#)

Development status: [Under active development](#)

Module categories: [RDF](#) , [Taxonomy](#)

Reported installs: **3** sites currently report using this module. [View usage statistics](#).

Downloads: 53

Automated tests: Enabled

Last modified: March 26, 2014

Downloads

Recommended releases

Version	Download	Date	Links
7.x-1.0-alpha1	tar.gz (9.42 KB) zip (10.83 KB)	2014-Mar-25	Notes

Development releases

Maintainers for Web Taxonomy plugin for DBpedia

[jneubert](#) - 16 commits
last: 5 months ago, first: 1 year ago

[View all committers](#)

[View commits](#)

Issues for Web Taxonomy plugin for DBpedia

To avoid duplicates, please search before submitting a new issue.

Search

[Advanced search](#)

All issues

2 open, 5 total

Bug report

0 open, 1 total

[Subscribe via e-mail](#)

Statistics

New issues  0

Response rate  0 %

1st response  0 hours

Open bugs  0

Getty module

- Based on DBpedia plugin
- JSON

Getty module

- Based on DBpedia plugin
- JSON
- Proxy (Drupal)

Getty module

- Based on DBpedia plugin
- JSON
- Proxy (Drupal)
- AAT and TGN now
 - space for CONA and ULAN

Download & Extend

Add Issues for Web Taxonomy plugin for Getty vocabularies to dashboard +

Web Taxonomy plugin for Getty vocabularies

natuk's sandbox: Web Taxonomy plugin for Getty vocabularies

View Edit Version control Maintainers

Posted by natuk on August 27, 2014 at 3:30pm

Experimental Project

This is a [sandbox project](#), which contains experimental code for developer use only.

This is a plugin for the [Web Taxonomy module](#). It allows the use of the terms from the [Getty vocabularies](#):

- [Art and Architecture Thesaurus \(AAT\)](#)
- [Thesaurus of Geographical Names \(TGN\)](#)

These two have recently been made available as [LOD](#). More Getty vocabularies will be added to this module once available as LOD. The module uses the JSON representations and the sample *Full Text Search SPARQL Query (5.1.6)* from the Getty which has been modified to limit results from the respective vocabularies.

This module has been based on [jneubert's sandbox module for DBpedia terms](#). An earlier version of this module for AAT only can be found [here](#).

This module is sponsored by [Ligatus](#) and the [University of the Arts London](#).

Project Information

Maintenance status: [Actively maintained](#)
Development status: [Under active development](#)
Module categories: RDF , Taxonomy

AAT

transparent vellum
parchment (animal material)
parchment (color)

AAT

TGN

Parchment
Parchment Creek
Parchment Valley
Wolfe Creek

Parchment

View Edit

Submitted by admin on Wed, 08/27/2014 - 14:25

AAT:
[parchment \(animal material\)](#)

TGN:
[Parchment](#)

parchment (animal material)

View Edit

Web Term ID:
<http://vocab.getty.edu/aat/300011851>

Parchment

Maintainers for Web Taxonomy plugin for Getty vocabularies

[natuk](#) - 2 commits
last: 1 day ago, first: 1 day ago

[View all committers](#)
[View commits](#)

Issues for Web Taxonomy plugin for Getty vocabularies

To avoid duplicates, please search before submitting a new issue.

Search

[Advanced search](#)

All issues

[0 open, 0 total](#)

[Bug report](#)

[0 open, 0 total](#)

[Subscribe via e-mail](#)

Resources

[Read license](#)

Demo



Home

Home



Navigation

▶ [Add content](#)

parchment (animal material)

View

Edit

Web Term ID:

<http://vocab.getty.edu/aat/300011851>

Parchment

Submitted by [admin](#) on Fri, 08/29/2014 - 16:55

Console HTML CSS Script DOM Net Cookies

Search by text or CSS sele

ld-item.even < div.field-items < div.field...el-above < div.content < div#taxon...lary-aat < div.term-...-heading < div.content < div#block...k-system < >

```
<div id="block-system-main" class="block block-system">
  <div class="content">
    <div class="term-listing-heading">
      <div id="taxonomy-term-1" class="taxonomy-term vocabulary-aat">
        <div class="content">
          <div class="field field-name-web-tid field-type-text field-label-above">
            <div class="field-label">Web Term ID: </div>
            <div class="field-items">
              <div class="field-item even" rel="owl:sameAs">
                <a href="http://vocab.getty.edu/aat/300011851">http://vocab.getty.edu/aat/300011851</a>
              </div>
            </div>
          </div>
        </div>
      </div>
    </div>
  </div>
</div>
```



Home

Home



Parchment

View

Edit

Submitted by [admin](#) on Fri, 08/29/2014 - 16:55

AAT:

[parchment \(animal material\)](#)

TGN:

[Parchment](#)

Navigation

▶ [Add content](#)

```
Console HTML CSS Script DOM Net Cookies Search by text or CSS sel
taxono...erence-0 < ul.links < div.field...clearfix < div.content.clearfix < div#node-...clearfix < div.content < div#block...k-system < div.regio...-content < c
<div class="content clearfix">
  <div class="field field-name-field-aat field-type-taxonomy-term-reference field-label-above
  clearfix">
    <h3 class="field-label">AAT: </h3>
    <ul class="links">
      <li class="taxonomy-term-reference-0">
        <a datatype="" property="rdfs:label
        skos:prefLabel" typeof="skos:Concept" href="/?q=taxonomy/term/1">parchment (animal
        material)</a>
      </li>
    </ul>
  </div>
  <div class="field field-name-field-tgn field-type-taxonomy-term-reference field-label-above
  clearfix">
</div>
```

Possible uses

- Content cataloguing
- Drupal distribution as Getty vocab translation tool
- Drupal distribution as curated Getty micro-thesaurus

TODO

- Multilingual support
 - depends on Web Taxonomy module

TODO

- Multilingual support
 - depends on Web Taxonomy module
- Hierarchical arrangement of local terms
 - unnecessary replication of unneeded terms

TODO

- Multilingual support
 - depends on Web Taxonomy module
- Hierarchical arrangement of local terms
 - unnecessary replication of unneeded terms
- Include scope notes in results
 - perhaps as tooltips

Example

The screenshot shows a search interface with a search bar containing the text "hou". Below the search bar is a list of items. A tooltip is displayed over the "Houndmaster's Rifle" item, providing detailed information about its properties and stats.

hou

- Core Hound
- Blade of the Witching Hour
- Blade of the Witching Hour
- Core Hound Tooth
- Houndmaster's Bow
- Houndmaster's Rifle** (Item →)
- Hourglass of the Unraveller (Item)
- Tunic of the Dark Hour (Item)
- Witching Hourglass (Item)
- Witching Hourglass (Item)

Houndmaster's Rifle
Binds when picked up
Ranged
85 - 159 Damage
(45.1 damage per second)
+4 Agility
+4 Stamina
Durability 75 / 75
Requires Level 47
Item Level 52
Equip: Increases attack power by 24 when fighting Beasts.
Sell Price: 2 31 38

Gun
Speed 2.70

TODO

- Multilingual support
 - depends on Web Taxonomy module
- Hierarchical arrangement of local terms
 - unnecessary replication of unneeded terms
- Include scope notes in results
 - perhaps as tooltips
- Periodical update
 - depends on Web Taxonomy module (based on cron)

TODO

- Multilingual support
 - depends on Web Taxonomy module
- Hierarchical arrangement of local terms
 - unnecessary replication of unneeded terms
- Include scope notes in results
 - perhaps as tooltips
- Periodical update
 - depends on Web Taxonomy module (based on cron)
- Filtering by facet

Testing



The connection was reset

The connection to the server was reset while the page was loading.

- The site could be temporarily unavailable or too busy. Try again in a few moments.
- If you are unable to load any pages, check your computer's network connection.
- If your computer or network is protected by a firewall or proxy, make sure that Firefox is permitted to access the Web.

Try Again

Language of Bindings



Add content Concept hierarchy Search terms My account Log out

endband cores

View Edit Translate Grant

Getty record: not matched.

English scope note:

Endband cores are lengths of material, both flexible and, occasionally, inflexible, which are either sewn to the head and tail of the spine of a bookblock in a worked endband, or are incorporated into a stuck-on endband. They can be single or multiple but they should be described individually as separate endband components. They can be made out of a variety of materials and can extend onto the boards where they can be fastened through a variety of techniques or can be cut straight to the bookblock spine edge. Endband cores which extend and are fastened to the boards play a crucial role in the reinforcement of the attachment between the boards and the bookblock especially so in Greek-style bindings. Their number can vary from one to as many as 7 or even more according to the sewing technique used. A core may consist of a single cord or other material length, or from multiple lengths of the same material, for example a bundle of thin threads used together as to form a single cord. They are described starting from the core immediately on top of (or better say adjacent to?) the bookblock head or tail edge proceeding outwards.

Submitted by admin on Tue, 15/07/2014 - 14:03

Preferred label:

endband cores

Parent:

[+]components

[x]endband cores [x]

Follow

For insertion

Under construction

For approval

Approved



MA
IA
AA

Enter terms Search

No photo
JL correspondence box
I



Email to Paul
Moorhouse



Notes from meeting

No photo
The Orcadian
Newspaper



Notes



Draft of Latham
Hypothesis



Deed of Gift



Letter to Paul
Moorhouse



Notes from phone
conversations



Email to Paul
Moorhouse



Letter to Iain
Mitchell



Email correspondence
between Paul
Moorhouse and John

Creator

- Persons (1649)
- Not Known (96)
- Organisations (91)
- Not Applicable (13)

Type

- Information sources (1486)
- Literature (251)
- Not applicable (192)
- Communication Research and Policy (41)
- Cultural policy and planning (9)
- Flag (6)
- Not known (2)
- Arts (1)

Decade

- Not known (487)
- 1980-1989 (414)
- 1990-1999 (383)
- 2000-2009 (354)
- 1970-1979 (235)
- 1960-1969 (49)
- 1940-1949 (35)
- 1950-1959 (12)
- Not applicable (7)
- 1920-1929 (3)
- 1900-1909 (2)
- 1930-1939 (2)
- 1890-1899 (1)
- 1910-1919 (1)

Index terms

- APG (149)
- Laure Prouvost (132)
- Artist Placement Group (121)
- Barbara Steveni (98)
- Lisson (79)
- Tate (72)
- universe (66)
- physics (63)
- Arts Council (60)

artwork

exhibitions


documents

CV

archived website

catalogue

Iwan Bala is an established artist, writer and lecturer based in Wales. He has held solo exhibitions annually since 1990, participated in many group exhibitions in Wales and abroad and is represented in public and private collections. His work was exhibited in four Chinese cities in 2009. He has published books and essays on contemporary art in Wales and is a frequent lecturer on the subject. He has often presented and been interviewed for television. Iwan Bala is cited in most published compilations on contemporary art in Wales.



artwork

[PROsiect hAICw
Words \(2013- \)](#)
[Field-notes \(2010-12\)](#)
[Our Nature \(2011\)](#)
[Tierra Incognita \(2005-10\)](#)
[Hon \(2004-07\)](#)
[Assemblages](#)
[From the Archive](#)



contact

Bute Street Artists Studios
54b Bute Street
Cardiff Bay
CF10 5AF
tel: 029 2061 4281
mob: 07757 748 419
iwanbala@gmail.com



Welcome to the IIC

IIC is an independent international organisation supported by individual and institutional members. It serves as a forum among professionals with responsibility for the preservation of cultural heritage.

News



GlassAc14 and...



Preserving Changes...



In the News

Heritage without Borders in post-war Kosovo by Alex Cantrill. News in

Conservation, Issue 43, 2014

Heritage without Borders (HwB) started in 2010 as a unique social enterprise working in countries where resources and expertise are scarce or lacking. A UK registered charity since 2012, they work to build capacity in heritage skills and support... [Read more](#)

News in Conservation, August 2014

Log in

Register

Search

Print

Email

Renew

Please log in to renew your membership.

Get connected

Register with IIC to get News by email.

Become a member to get:

- Studies in Conservation
- Discounts for IIC Congresses
- Access to Dialogues discussions

Donate to support:

- the Opportunities Fund
- the Keck Awards

Limited testing so far, but...


- Fast retrieval of terms
- Happy editors!



Drupal

makes me hAPI

Learning curve for popular CMS



<http://friendlymachine.net/posts/welcome-learning-drupal>