

# ULAN XML Data Dictionary

targetNamespace: <http://localhost/namespace>

Elements	Complex types	Simple types
<a href="#">Vocabulary</a>	<a href="#">BiographyType</a> <a href="#">EventType</a> <a href="#">NationalityType</a> <a href="#">ParentType</a> <a href="#">RevisionType</a> <a href="#">RoleType</a> <a href="#">SourceType</a> <a href="#">TermType</a>	<a href="#">Geog_Date</a> <a href="#">Historic_Flag_Value</a> <a href="#">Historical_Date</a> <a href="#">Merged_Status_Value</a> <a href="#">VP_Subject_ID</a> <a href="#">VP_Term_ID</a>

## element Vocabulary

namespace	<a href="http://localhost/namespace">http://localhost/namespace</a>					
properties	content complex					
children	<a href="#">vp:Subject</a>					
attributes	Name	Type	Use	Default	Fixed	annotation
	<a href="#">Title</a>	<b>xs:string</b>	required			
	<a href="#">Part</a>	<b>xs:string</b>	optional			
	<a href="#">Date</a>	<b>xs:date</b>	required			

## attribute Vocabulary/@Title

type	<b>xs:string</b>
properties	isRef 0 use required

## attribute Vocabulary/@Part

type	<b>xs:string</b>
properties	isRef 0 use optional

## attribute Vocabulary/@Date

type	<b>xs:date</b>
properties	isRef 0 use required

**element Vocabulary/Subject**

namespace	http://localhost/namespace							
properties	isRef	0	minOcc	1	maxOcc	unbounded	content	complex
children	<a href="#">vp:Associative Relationships</a> <a href="#">vp:Biographies</a> <a href="#">vp:Descriptive Notes</a> <a href="#">vp:Events</a> <a href="#">vp:Hierarchy</a> <a href="#">vp:Image</a> <a href="#">vp:Legacy ID</a> <a href="#">vp:Merged Status</a> <a href="#">vp:Nationalities</a> <a href="#">vp:Parent Relationships</a> <a href="#">vp:Record Type</a> <a href="#">vp:Revision History</a> <a href="#">vp:Roles</a> <a href="#">vp:Sort Order</a> <a href="#">vp:Special Project</a> <a href="#">vp:Subject Contributors</a> <a href="#">vp:Subject Sources</a> <a href="#">vp:Terms</a>							
attributes	Name	Type	Use	Default	Fixed	annotation		
	<a href="#">Subject ID</a>	<a href="#">vp:VP Subject ID</a>	required					

**attribute Vocabulary/Subject/@Subject\_ID**

type	<a href="#">vp:VP Subject ID</a>							
properties	isRef	0	use	required				
facets	Kind	Value	annotation					
	minInclusive	1000000						
	maxInclusive	699999999						

**element Vocabulary/Subject/Associative\_Relationships**

namespace	http://localhost/namespace							
properties	isRef	0	minOcc	0	maxOcc	1	content	complex
children	<a href="#">vp:Associative Relationship</a>							

**element Vocabulary/Subject/Associative\_Relationships/Associative\_Relationship**

namespace	http://localhost/namespace							
properties	isRef	0	minOcc	0	maxOcc	unbounded	content	complex
children	<a href="#">vp:Description</a> <a href="#">vp:AR Date</a> <a href="#">vp:Historic Flag</a> <a href="#">vp:Relationship Type</a> <a href="#">vp:Related Subject ID</a>							

**element Vocabulary/Subject/Associative\_Relationships/Associative\_Relationship/Description**

namespace	http://localhost/namespace							
type	<b>xs:string</b>							
properties	isRef	0	minOcc	0	maxOcc	1	content	simple

**element Vocabulary/Subject/Associative\_Relationships/Associative\_Relationship/AR\_Date**

namespace	http://localhost/namespace							
properties	isRef	0						

	minOcc 0 maxOcc 1 content complex
children	<a href="#">vp:Display_Date</a> <a href="#">vp:Start_Date</a> <a href="#">vp:End_Date</a>

element

**Vocabulary/Subject/Associative\_Relationships/Associative\_Relationship/AR\_Date/Display\_Date**

namespace	http://localhost/namespace
type	<b>xs:string</b>
properties	isRef 0 content simple

element **Vocabulary/Subject/Associative\_Relationships/Associative\_Relationship/AR\_Date/Start\_Date**

namespace	http://localhost/namespace
type	<a href="#">vp:Geog_Date</a>
properties	isRef 0 content simple
facets	Kind Value annotation maxInclusive 9999

element **Vocabulary/Subject/Associative\_Relationships/Associative\_Relationship/AR\_Date/End\_Date**

namespace	http://localhost/namespace
type	<a href="#">vp:Geog_Date</a>
properties	isRef 0 content simple
facets	Kind Value annotation maxInclusive 9999

element **Vocabulary/Subject/Associative\_Relationships/Associative\_Relationship/Historic\_Flag**

namespace	http://localhost/namespace
type	<a href="#">vp:Historic_Flag_Value</a>
properties	isRef 0 minOcc 0 maxOcc 1 content simple default Current
facets	Kind Value annotation enumeration Both enumeration Current enumeration Historical enumeration N/A enumeration Undetermined

element **Vocabulary/Subject/Associative\_Relationships/Associative\_Relationship/Relationship\_Type**

namespace	http://localhost/namespace
-----------	----------------------------

type	<b>xs:string</b>
properties	isRef 0 content simple

element **Vocabulary/Subject/Associative\_Relationships/Associative\_Relationship/Related\_Subject\_ID**

namespace	http://localhost/namespace
properties	isRef 0 content complex
children	<a href="#">vp:VP_Subject_ID</a> <a href="#">vp:Contrib_Subject_ID</a>

element

**Vocabulary/Subject/Associative\_Relationships/Associative\_Relationship/Related\_Subject\_ID/VP\_Subject\_ID**

namespace	http://localhost/namespace									
type	<a href="#">vp:VP_Subject_ID</a>									
properties	isRef 0 content simple									
facets	<table border="0"> <tr> <td>Kind</td> <td>Value</td> <td>annotation</td> </tr> <tr> <td>minInclusive</td> <td>1000000</td> <td></td> </tr> <tr> <td>maxInclusive</td> <td>699999999</td> <td></td> </tr> </table>	Kind	Value	annotation	minInclusive	1000000		maxInclusive	699999999	
Kind	Value	annotation								
minInclusive	1000000									
maxInclusive	699999999									

element

**Vocabulary/Subject/Associative\_Relationships/Associative\_Relationship/Related\_Subject\_ID/Contrib\_Subject\_ID**

namespace	http://localhost/namespace
type	<b>xs:string</b>
properties	isRef 0 content simple

element **Vocabulary/Subject/Biographies**

namespace	http://localhost/namespace
properties	isRef 0 minOcc 0 maxOcc 1 content complex
children	<a href="#">vp:Preferred_Biography</a> <a href="#">vp:Non-Preferred_Biography</a>
annotation	documentation ULAN only. Biography is mandatory

element **Vocabulary/Subject/Biographies/Preferred\_Biography**

namespace	http://localhost/namespace
type	<a href="#">vp:BiographyType</a>
properties	isRef 0 content complex
children	<a href="#">vp:Biography_ID</a> <a href="#">vp:Biography_Text</a> <a href="#">vp:Birth_Place</a> <a href="#">vp:Birth_Date</a> <a href="#">vp:Death_Place</a> <a href="#">vp:Death_Date</a> <a href="#">vp:Sex</a>

	<a href="#">vp:Contributor</a>
--	--------------------------------

element **Vocabulary/Subject/Biographies/Non-Preferred\_Biography**

namespace	http://localhost/namespace
type	<a href="#">vp:BiographyType</a>
properties	isRef 0 minOcc 0 maxOcc unbounded content complex
children	<a href="#">vp:Biography_ID</a> <a href="#">vp:Biography_Text</a> <a href="#">vp:Birth_Place</a> <a href="#">vp:Birth_Date</a> <a href="#">vp:Death_Place</a> <a href="#">vp:Death_Date</a> <a href="#">vp:Sex</a> <a href="#">vp:Contributor</a>

element **Vocabulary/Subject/Descriptive\_Notes**

namespace	http://localhost/namespace
properties	isRef 0 minOcc 0 maxOcc 1 content complex
children	<a href="#">vp:Descriptive_Note</a>

element **Vocabulary/Subject/Descriptive\_Notes/Descriptive\_Note**

namespace	http://localhost/namespace
properties	isRef 0 minOcc 0 maxOcc unbounded content complex
children	<a href="#">vp&gt;Note_Text</a> <a href="#">vp&gt;Note_Language</a> <a href="#">vp&gt;Note_Contributors</a> <a href="#">vp&gt;Note_Sources</a>

element **Vocabulary/Subject/Descriptive\_Notes/Descriptive\_Note/Note\_Text**

namespace	http://localhost/namespace
type	<b>xs:string</b>
properties	isRef 0 content simple
annotation	documentation Subject descriptive note

element **Vocabulary/Subject/Descriptive\_Notes/Descriptive\_Note/Note\_Language**

namespace	http://localhost/namespace
type	<b>xs:string</b>
properties	isRef 0 content simple

element **Vocabulary/Subject/Descriptive\_Notes/Descriptive\_Note/Note\_Contributors**

namespace	http://localhost/namespace
-----------	----------------------------

properties	isRef 0 minOcc 0 maxOcc 1 content complex
children	<a href="#">vp&gt;Note_Contributor</a>

element **Vocabulary/Subject/Descriptive\_Notes/Descriptive\_Note/Note\_Contributors/Note\_Contributor**

namespace	http://localhost/namespace
properties	isRef 0 minOcc 0 maxOcc unbounded content complex
children	<a href="#">vp:Contributor_id</a>

element

**Vocabulary/Subject/Descriptive\_Notes/Descriptive\_Note/Note\_Contributors/Note\_Contributor/Contributor\_id**

namespace	http://localhost/namespace
type	<b>xs:string</b>
properties	isRef 0 content simple
annotation	documentation A combination of the unique identifier and brief description separated by a forward slash (/) for a particular contributor to the ULAN

element **Vocabulary/Subject/Descriptive\_Notes/Descriptive\_Note/Note\_Sources**

namespace	http://localhost/namespace
properties	isRef 0 minOcc 0 maxOcc 1 content complex
children	<a href="#">vp&gt;Note_Source</a>

element **Vocabulary/Subject/Descriptive\_Notes/Descriptive\_Note/Note\_Sources/Note\_Source**

namespace	http://localhost/namespace
properties	isRef 0 minOcc 0 maxOcc unbounded content complex
children	<a href="#">vp:Source</a> <a href="#">vp:Page</a>

element **Vocabulary/Subject/Descriptive\_Notes/Descriptive\_Note/Note\_Sources/Note\_Source/Source**

namespace	http://localhost/namespace
type	<a href="#">vp:SourceType</a>
properties	isRef 0 content complex
children	<a href="#">vp:Source_ID</a>

element **Vocabulary/Subject/Descriptive\_Notes/Descriptive\_Note/Note\_Sources/Note\_Source/Page**

namespace	http://localhost/namespace
type	<b>xs:string</b>
properties	isRef 0 minOcc 0 maxOcc 1 content simple
annotation	documentation Free text entry field for information relating to Source-to-note relationship

element **Vocabulary/Subject/Events**

namespace	http://localhost/namespace
properties	isRef 0 minOcc 0 maxOcc 1 content complex
children	<a href="#">vp:Preferred_Event</a> <a href="#">vp:Non-Preferred_Event</a>
annotation	documentation ULAN only. There can be one and only one preferred events branch, but zero to many non-preferred events branches

element **Vocabulary/Subject/Events/Preferred\_Event**

namespace	http://localhost/namespace
type	<a href="#">vp:EventType</a>
properties	isRef 0 content complex
children	<a href="#">vp:Event_ID</a> <a href="#">vp:Display_Order</a> <a href="#">vp:Place</a> <a href="#">vp:Event_Date</a>

element **Vocabulary/Subject/Events/Non-Preferred\_Event**

namespace	http://localhost/namespace
type	<a href="#">vp:EventType</a>
properties	isRef 0 minOcc 0 maxOcc unbounded content complex
children	<a href="#">vp:Event_ID</a> <a href="#">vp:Display_Order</a> <a href="#">vp:Place</a> <a href="#">vp:Event_Date</a>

element **Vocabulary/Subject/Hierarchy**

namespace	http://localhost/namespace
type	<b>xs:string</b>
properties	isRef 0 content simple

**element Vocabulary/Subject/Image**

namespace	http://localhost/namespace
type	<b>xs:string</b>
properties	isRef 0 minOcc 0 maxOcc 1 content simple

**element Vocabulary/Subject/Legacy\_ID**

namespace	http://localhost/namespace
type	<b>xs:string</b>
properties	isRef 0 minOcc 0 maxOcc 1 content simple

**element Vocabulary/Subject/Merged\_Status**

namespace	http://localhost/namespace
type	<a href="#">vp:Merged_Status_Value</a>
properties	isRef 0 content simple
facets	Kind Value annotation enumeration Merged enumeration Not Merged

**element Vocabulary/Subject/Nationalities**

namespace	http://localhost/namespace
properties	isRef 0 content complex
children	<a href="#">vp:Preferred_Nationality</a> <a href="#">vp:Non-Preferred_Nationality</a>
annotation	documentation ULAN only. Nationality is mandatory

**element Vocabulary/Subject/Nationalities/Preferred\_Nationality**

namespace	http://localhost/namespace
type	<a href="#">vp:NationalityType</a>
properties	isRef 0 content complex
children	<a href="#">vp:Nationality_Code</a> <a href="#">vp:Display_Order</a>

**element Vocabulary/Subject/Nationalities/Non-Preferred\_Nationality**

namespace	http://localhost/namespace
type	<a href="#">vp:NationalityType</a>
properties	isRef 0 minOcc 0

	maxOcc unbounded content complex
children	<a href="#">vp:Nationality_Code</a> <a href="#">vp:Display_Order</a>

### element Vocabulary/Subject/Parent\_Relationships

namespace	http://localhost/namespace
properties	isRef 0 content complex
children	<a href="#">vp:Preferred_Parent</a> <a href="#">vp:Non-Preferred_Parent</a>

### element Vocabulary/Subject/Parent\_Relationships/Preferred\_Parent

namespace	http://localhost/namespace
type	<a href="#">vp:ParentType</a>
properties	isRef 0 minOcc 0 maxOcc 1 content complex
children	<a href="#">vp:Parent_Subject_ID</a> <a href="#">vp:Relationship_Type</a> <a href="#">vp:Historic_Flag</a> <a href="#">vp:Hier_Rel_Type</a> <a href="#">vp:Parent_Date</a>

### element Vocabulary/Subject/Parent\_Relationships/Non-Preferred\_Parent

namespace	http://localhost/namespace
type	<a href="#">vp:ParentType</a>
properties	isRef 0 minOcc 0 maxOcc unbounded content complex
children	<a href="#">vp:Parent_Subject_ID</a> <a href="#">vp:Relationship_Type</a> <a href="#">vp:Historic_Flag</a> <a href="#">vp:Hier_Rel_Type</a> <a href="#">vp:Parent_Date</a>

### element Vocabulary/Subject/Record\_Type

namespace	http://localhost/namespace
type	restriction of <b>xs:string</b>
properties	isRef 0 content simple
facets	Kind Value annotation enumeration Person enumeration Corporate Body enumeration Facet enumeration Guide Term

### element Vocabulary/Subject/Revision\_History

namespace	http://localhost/namespace
properties	isRef 0 content complex
children	<a href="#">vp:Revision</a>

**element Vocabulary/Subject/Revision\_History/Revision**

namespace	http://localhost/namespace
type	<a href="#">vp:RevisionType</a>
properties	isRef 0 minOcc 1 maxOcc unbounded content complex
children	<a href="#">vp:Revision_ID</a> <a href="#">vp:Aspect</a> <a href="#">vp:Action</a> <a href="#">vp:User_Name</a> <a href="#">vp&gt;Date</a> <a href="#">vp&gt;Note</a>

**element Vocabulary/Subject/Roles**

namespace	http://localhost/namespace
properties	isRef 0 content complex
children	<a href="#">vp:Preferred_Role</a> <a href="#">vp:Non-Preferred_Role</a>
annotation	documentation ULAN only. Role is mandatory

**element Vocabulary/Subject/Roles/Preferred\_Role**

namespace	http://localhost/namespace
type	<a href="#">vp:RoleType</a>
properties	isRef 0 content complex
children	<a href="#">vp:Role_ID</a> <a href="#">vp:Display_Order</a> <a href="#">vp:Historic_Flag</a> <a href="#">vp:Role_Date</a>

**element Vocabulary/Subject/Roles/Non-Preferred\_Role**

namespace	http://localhost/namespace
type	<a href="#">vp:RoleType</a>
properties	isRef 0 minOcc 0 maxOcc unbounded content complex
children	<a href="#">vp:Role_ID</a> <a href="#">vp:Display_Order</a> <a href="#">vp:Historic_Flag</a> <a href="#">vp:Role_Date</a>

**element Vocabulary/Subject/Sort\_Order**

namespace	http://localhost/namespace
type	xs:int
properties	isRef 0 content simple

**element Vocabulary/Subject/Special\_Project**

namespace	http://localhost/namespace
type	xs:string

properties	isRef 0 minOcc 0 maxOcc 1 content simple
------------	---

#### element Vocabulary/Subject/Subject\_Contributors

namespace	http://localhost/namespace
properties	isRef 0 content complex
children	<a href="#">vp:Subject_Contributor</a>

#### element Vocabulary/Subject/Subject\_Contributors/Subject\_Contributor

namespace	http://localhost/namespace
properties	isRef 0 minOcc 1 maxOcc unbounded content complex
children	<a href="#">vp:Contributor_id</a>

#### element Vocabulary/Subject/Subject\_Contributors/Subject\_Contributor/Contributor\_id

namespace	http://localhost/namespace
type	<b>xs:string</b>
properties	isRef 0 content simple

#### element Vocabulary/Subject/Subject\_Sources

namespace	http://localhost/namespace
properties	isRef 0 minOcc 0 maxOcc 1 content complex
children	<a href="#">vp:Subject_Source</a>

#### element Vocabulary/Subject/Subject\_Sources/Subject\_Source

namespace	http://localhost/namespace
properties	isRef 0 minOcc 1 maxOcc unbounded content complex
children	<a href="#">vp:Source</a> <a href="#">vp:Page</a>

#### element Vocabulary/Subject/Subject\_Sources/Subject\_Source/Source

namespace	http://localhost/namespace
type	<a href="#">vp:SourceType</a>

properties	isRef 0 content complex
children	<a href="#">vp:Source_ID</a>

element **Vocabulary/Subject/Subject\_Sources/Subject\_Source/Page**

namespace	http://localhost/namespace
type	<b>xs:string</b>
properties	isRef 0 minOcc 0 maxOcc 1 content simple

element **Vocabulary/Subject/Terms**

namespace	http://localhost/namespace
properties	isRef 0 content complex
children	<a href="#">vp:Preferred_Term</a> <a href="#">vp:Non-Preferred_Term</a>
annotation	documentation There can be one and only one preferred term, but zero to many non-preferrened terms.

element **Vocabulary/Subject/Terms/Preferred\_Term**

namespace	http://localhost/namespace
type	<a href="#">vp:TermType</a>
properties	isRef 0 content complex
children	<a href="#">vp:ACR2_Flag</a> <a href="#">vp:Display_Name</a> <a href="#">vp:Display_Order</a> <a href="#">vp:Historic_Flag</a> <a href="#">vp:Term_Languages</a> <a href="#">vp:Other_Flags</a> <a href="#">vp:Term_Contributors</a> <a href="#">vp:Term_Date</a> <a href="#">vp:Term_ID</a> <a href="#">vp:Term_Sources</a> <a href="#">vp:Term_Text</a> <a href="#">vp:Vernacular</a>

element **Vocabulary/Subject/Terms/Non-Preferred\_Term**

namespace	http://localhost/namespace
type	<a href="#">vp:TermType</a>
properties	isRef 0 minOcc 0 maxOcc unbounded content complex
children	<a href="#">vp:ACR2_Flag</a> <a href="#">vp:Display_Name</a> <a href="#">vp:Display_Order</a> <a href="#">vp:Historic_Flag</a> <a href="#">vp:Term_Languages</a> <a href="#">vp:Other_Flags</a> <a href="#">vp:Term_Contributors</a> <a href="#">vp:Term_Date</a> <a href="#">vp:Term_ID</a> <a href="#">vp:Term_Sources</a> <a href="#">vp:Term_Text</a> <a href="#">vp:Vernacular</a>

complexType **BiographyType**

namespace	http://localhost/namespace
children	<a href="#">vp:Biography_ID</a> <a href="#">vp:Biography_Text</a> <a href="#">vp:Birth_Place</a> <a href="#">vp:Birth_Date</a> <a href="#">vp:Death_Place</a> <a href="#">vp:Death_Date</a> <a href="#">vp:Sex</a> <a href="#">vp:Contributor</a>
used by	elements <a href="#">Vocabulary/Subject/Biographies/Non-Preferred_Biography</a> <a href="#">Vocabulary/Subject/Biographies/Preferred_Biography</a>
annotation	documentation Biography type for the Biographies element

**element BiographyType/Biography\_ID**

namespace	http://localhost/namespace
type	<b>xs:long</b>
properties	isRef 0 content simple

**element BiographyType/Biography\_Text**

namespace	http://localhost/namespace
type	<b>xs:string</b>
properties	isRef 0 content simple

**element BiographyType/Birth\_Place**

namespace	http://localhost/namespace
type	<b>xs:string</b>
properties	isRef 0 minOcc 0 maxOcc 1 content simple

**element BiographyType/Birth\_Date**

namespace	http://localhost/namespace
type	<b>xs:integer</b>
properties	isRef 0 minOcc 0 maxOcc 1 content simple

**element BiographyType/Death\_Place**

namespace	http://localhost/namespace
type	<b>xs:string</b>
properties	isRef 0 minOcc 0 maxOcc 1 content simple

**element BiographyType/Death\_Date**

namespace	http://localhost/namespace
type	<b>xs:integer</b>
properties	isRef 0 minOcc 0 maxOcc 1 content simple

### element BiographyType/Sex

namespace	http://localhost/namespace		
type	restriction of <b>xs:string</b>		
properties	isRef	0	
	minOcc	0	
	maxOcc	1	
	content	simple	
facets	Kind	Value	annotation
	enumeration	Male	
	enumeration	Female	
	enumeration	Other	
	enumeration	Unknown	
	enumeration	N/A	
	enumeration	Transgender	

### element BiographyType/Contributor

namespace	http://localhost/namespace		
type	<b>xs:string</b>		
properties	isRef	0	
	minOcc	0	
	maxOcc	1	
	content	simple	

### complexType EventType

namespace	http://localhost/namespace		
children	<a href="#">vp:Event_ID</a> <a href="#">vp:Display_Order</a> <a href="#">vp:Place</a> <a href="#">vp:Event_Date</a>		
used by	elements	<a href="#">Vocabulary/Subject/Events/Non-Preferred_Event</a> <a href="#">Vocabulary/Subject/Events/Preferred_Event</a>	
annotation	documentation	Event type for the Events element	

### element EventType/Event\_ID

namespace	http://localhost/namespace		
type	<b>xs:string</b>		
properties	isRef	0	
	content	simple	
	default	-1	

### element EventType/Display\_Order

namespace	http://localhost/namespace		
type	<b>xs:unsignedShort</b>		
properties	isRef	0	
	content	simple	

### element EventType/Place

namespace	http://localhost/namespace
type	<b>xs:string</b>
properties	isRef 0 minOcc 0 maxOcc 1 content simple

### element EventType/Event\_Date

namespace	http://localhost/namespace
properties	isRef 0 minOcc 0 maxOcc 1 content complex
children	<a href="#">vp:Display_Date</a> <a href="#">vp:Start_Date</a> <a href="#">vp:End_Date</a>

### element EventType/Event\_Date/Display\_Date

namespace	http://localhost/namespace
type	<b>xs:string</b>
properties	isRef 0 content simple

### element EventType/Event\_Date/Start\_Date

namespace	http://localhost/namespace
type	<a href="#">vp:Historical_Date</a>
properties	isRef 0 content simple
facets	Kind Value annotation maxInclusive 9999

### element EventType/Event\_Date/End\_Date

namespace	http://localhost/namespace
type	<a href="#">vp:Historical_Date</a>
properties	isRef 0 content simple
facets	Kind Value annotation maxInclusive 9999

### complexType NationalityType

namespace	http://localhost/namespace
children	<a href="#">vp:Nationality_Code</a> <a href="#">vp:Display_Order</a>
used by	elements <a href="#">Vocabulary/Subject/Nationalities/Non-Preferred_Nationality</a> <a href="#">Vocabulary/Subject/Nationalities/Preferred_Nationality</a>
annotation	documentation Nationality type for the Nationality element

### element **NationalityType/Nationality\_Code**

namespace	http://localhost/namespace
type	<b>xs:string</b>
properties	isRef 0 content simple

### element **NationalityType/Display\_Order**

namespace	http://localhost/namespace
type	<b>xs:unsignedShort</b>
properties	isRef 0 content simple

### complexType **ParentType**

namespace	http://localhost/namespace
children	<a href="#">vp:Parent_Subject_ID</a> <a href="#">vp:Relationship_Type</a> <a href="#">vp:Historic_Flag</a> <a href="#">vp:Hier_Rel_Type</a> <a href="#">vp:Parent_Date</a>
used by	elements <a href="#">Vocabulary/Subject/Parent_Relationships/Non-Preferred_Parent</a> <a href="#">Vocabulary/Subject/Parent_Relationships/Preferred_Parent</a>

### element **ParentType/Parent\_Subject\_ID**

namespace	http://localhost/namespace
type	<b>xs:integer</b>
properties	isRef 0 content simple
annotation	documentation Unique ID number of parent record

### element **ParentType/Relationship\_Type**

namespace	http://localhost/namespace
type	restriction of <b>xs:string</b>
properties	isRef 0 content simple
facets	Kind Value annotation enumeration Parent/Child
annotation	documentation Relationship type (only parent/child currently available)

### element **ParentType/Historic\_Flag**

namespace	http://localhost/namespace
type	restriction of <b>xs:string</b>
properties	isRef 0 minOcc 0 maxOcc 1 content simple
facets	Kind Value annotation enumeration Current

	enumeration Historical enumeration Both enumeration N/A enumeration Undetermined
annotation	documentation Flag indicating the historical status of the parent/child relationship

### element ParentType/Hier\_Rel\_Type

namespace	http://localhost/namespace
type	restriction of <b>xs:string</b>
properties	isRef 0 content simple
facets	Kind Value annotation enumeration Whole/Part-BTP enumeration Genus/Species-BTG enumeration Instance-BTI
annotation	documentation Hierarchical Relationship Type

### element ParentType/Parent\_Date

namespace	http://localhost/namespace
properties	isRef 0 minOcc 0 maxOcc 1 content complex
children	<a href="#">vp:Display_Date</a> <a href="#">vp:Start_Date</a> <a href="#">vp:End_Date</a>

### element ParentType/Parent\_Date/Display\_Date

namespace	http://localhost/namespace
type	<b>xs:string</b>
properties	isRef 0 content simple
annotation	documentation Label for relationship date information

### element ParentType/Parent\_Date/Start\_Date

namespace	http://localhost/namespace
type	<a href="#">vp:Geog_Date</a>
properties	isRef 0 content simple
facets	Kind Value annotation maxInclusive 9999
annotation	documentation Historical start date of parent/child relationship

**element ParentType/Parent\_Date/End\_Date**

namespace	http://localhost/namespace
type	<a href="#">vp:Geog_Date</a>
properties	isRef 0 content simple
facets	Kind Value annotation maxInclusive 9999
annotation	documentation Historical end date of parent/child relationship

**complexType RevisionType**

namespace	http://localhost/namespace
children	<a href="#">vp:Revision_ID</a> <a href="#">vp:Aspect</a> <a href="#">vp:Action</a> <a href="#">vp:User_Name</a> <a href="#">vp:Date</a> <a href="#">vp&gt;Note</a>
used by	element <a href="#">Vocabulary/Subject/Revision_History/Revision</a>
annotation	documentation Set of values to identify a revision event

**element RevisionType/Revision\_ID**

namespace	http://localhost/namespace
type	<b>xs:unsignedLong</b>
properties	isRef 0 content simple

**element RevisionType/Aspect**

namespace	http://localhost/namespace
type	restriction of <b>xs:string</b>
properties	isRef 0 minOcc 0 maxOcc 1 content simple
facets	Kind Value annotation enumeration subject enumeration scope note enumeration Term enumeration Associative Relationships

**element RevisionType/Action**

namespace	http://localhost/namespace
type	<b>xs:string</b>
properties	isRef 0 content simple

**element RevisionType/User\_Name**

namespace	http://localhost/namespace
-----------	----------------------------

type	<b>xs:string</b>
properties	isRef 0 minOcc 0 maxOcc 1 content simple

#### element RevisionType/Date

namespace	http://localhost/namespace
type	<b>xs:string</b>
properties	isRef 0 content simple

#### element RevisionType/Note

namespace	http://localhost/namespace
type	<b>xs:string</b>
properties	isRef 0 minOcc 0 maxOcc 1 content simple

#### complexType RoleType

namespace	http://localhost/namespace
children	<a href="#">vp:Role_ID</a> <a href="#">vp:Display_Order</a> <a href="#">vp:Historic_Flag</a> <a href="#">vp:Role_Date</a>
used by	elements <a href="#">Vocabulary/Subject/Roles/Non-Preferred_Role</a> <a href="#">Vocabulary/Subject/Roles/Preferred_Role</a>
annotation	documentation Role type for the Roles element

#### element RoleType/Role\_ID

namespace	http://localhost/namespace
type	<b>xs:string</b>
properties	isRef 0 content simple default -1

#### element RoleType/Display\_Order

namespace	http://localhost/namespace
type	<b>xs:unsignedShort</b>
properties	isRef 0 content simple

#### element RoleType/Historic\_Flag

namespace	http://localhost/namespace
type	<a href="#">vp:Historic_Flag_Value</a>

properties	isRef 0 minOcc 0 maxOcc 1 content simple
facets	Kind Value annotation enumeration Both enumeration Current enumeration Historical enumeration N/A enumeration Undetermined

### element **RoleType/Role\_Date**

namespace	http://localhost/namespace
properties	isRef 0 minOcc 0 maxOcc 1 content complex
children	<a href="#">vp:Display_Date</a> <a href="#">vp:Start_Date</a> <a href="#">vp:End_Date</a>

### element **RoleType/Role\_Date/Display\_Date**

namespace	http://localhost/namespace
type	<b>xs:string</b>
properties	isRef 0 content simple

### element **RoleType/Role\_Date/Start\_Date**

namespace	http://localhost/namespace
type	<a href="#">vp:Geog_Date</a>
properties	isRef 0 content simple
facets	Kind Value annotation maxInclusive 9999

### element **RoleType/Role\_Date/End\_Date**

namespace	http://localhost/namespace
type	<a href="#">vp:Geog_Date</a>
properties	isRef 0 content simple
facets	Kind Value annotation maxInclusive 9999

### complexType **SourceType**

namespace	http://localhost/namespace
children	<a href="#">vp:Source_ID</a>
used by	elements <a href="#">Vocabulary/Subject/Descriptive_Notes/Descriptive_Note/Note_Sources/Note_Source/Source</a> <a href="#">Vocabulary/Subject/Subject_Sources/Subject_Source/Source</a>

	<a href="#">TermType/Term_Sources/Term_Source/Source</a>
annotation	documentation Set of values to reference a bibliographic source

### element SourceType/Source\_ID

namespace	http://localhost/namespace
type	<b>xs:string</b>
properties	isRef 0 content simple

### complexType TermType

namespace	http://localhost/namespace
children	<a href="#">vp: AACR2_Flag</a> <a href="#">vp: Display_Name</a> <a href="#">vp: Display_Order</a> <a href="#">vp: Historic_Flag</a> <a href="#">vp: Term_Languages</a> <a href="#">vp: Other_Flags</a> <a href="#">vp: Term_Contributors</a> <a href="#">vp: Term_Date</a> <a href="#">vp: Term_ID</a> <a href="#">vp: Term_Sources</a> <a href="#">vp: Term_Text</a> <a href="#">vp: Vernacular</a>
used by	elements <a href="#">Vocabulary/Subject/Terms/Non-Preferred_Term</a> <a href="#">Vocabulary/Subject/Terms/Preferred_Term</a>
annotation	documentation Term block for the Terms element

### element TermType/AACR2\_Flag

namespace	http://localhost/namespace
type	restriction of <b>xs:string</b>
properties	isRef 0 minOcc 0 maxOcc 1 content simple default N/A
facets	Kind Value annotation enumeration Yes enumeration N/A
annotation	documentation Flag to indicate when a ULAN record is a AACR2 record

### element TermType/Display\_Name

namespace	http://localhost/namespace
type	restriction of <b>xs:string</b>
properties	isRef 0 minOcc 0 maxOcc 1 content simple
facets	Kind Value annotation enumeration Yes enumeration No enumeration N/A enumeration Index
annotation	documentation Label for term date information

**element TermType/Display\_Order**

namespace	http://localhost/namespace
type	<b>xs:unsignedShort</b>
properties	isRef 0 minOcc 0 maxOcc 1 content simple default 0
annotation	documentation Order number of the term in relation to the other terms of a subject record

**element TermType/Historic\_Flag**

namespace	http://localhost/namespace
type	restriction of <b>xs:string</b>
properties	isRef 0 minOcc 0 maxOcc 1 content simple default Current
facets	Kind Value annotation enumeration Both enumeration Current enumeration Historical enumeration N/A
annotation	documentation Flag indicating the historical status of the term

**element TermType/Term\_Languages**

namespace	http://localhost/namespace
properties	isRef 0 minOcc 0 maxOcc 1 content complex
children	<a href="#">vp:Term_Language</a>

**element TermType/Term\_Languages/Term\_Language**

namespace	http://localhost/namespace
properties	isRef 0 minOcc 1 maxOcc unbounded content complex
children	<a href="#">vp:Language</a> <a href="#">vp:Preferred</a> <a href="#">vp:Qualifier</a> <a href="#">vp:Term_Type</a> <a href="#">vp:Part_of_Speech</a> <a href="#">vp:Lang_Stat</a>

**element TermType/Term\_Languages/Term\_Language/Language**

namespace	http://localhost/namespace
type	<b>xs:string</b>
properties	isRef 0 content simple

element **TermType/Term\_Languages/Term\_Language/Preferred**

namespace	http://localhost/namespace
type	restriction of <b>xs:string</b>
properties	isRef 0 minOcc 0 maxOcc 1 content simple
facets	Kind Value annotation enumeration Preferred enumeration Non Preferred enumeration Undetermined
annotation	documentation Flag indicating whether or not a term is preferred for a particular language

element **TermType/Term\_Languages/Term\_Language/Qualifier**

namespace	http://localhost/namespace
type	<b>xs:string</b>
properties	isRef 0 minOcc 0 maxOcc 1 content simple
annotation	documentation Label to disambiguate homophones in TGN

element **TermType/Term\_Languages/Term\_Language/Term\_Type**

namespace	http://localhost/namespace
type	restriction of <b>xs:string</b>
properties	isRef 0 minOcc 0 maxOcc 1 content simple
facets	Kind Value annotation enumeration N/A

element **TermType/Term\_Languages/Term\_Language/Part\_of\_Speech**

namespace	http://localhost/namespace
type	restriction of <b>xs:string</b>
properties	isRef 0 minOcc 0 maxOcc 1 content simple
facets	Kind Value annotation enumeration N/A enumeration Undetermined

element **TermType/Term\_Languages/Term\_Language/Lang\_Stat**

namespace	http://localhost/namespace
-----------	----------------------------

type	restriction of <b>xs:string</b>												
properties	isRef 0 minOcc 0 maxOcc 1 content simple												
facets	<table border="0"> <tr> <td>Kind</td> <td>Value</td> <td>annotation</td> </tr> <tr> <td>enumeration</td> <td>Undetermined</td> <td></td> </tr> <tr> <td>enumeration</td> <td>N/A</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Loan Term</td> <td></td> </tr> </table>	Kind	Value	annotation	enumeration	Undetermined		enumeration	N/A		enumeration	Loan Term	
Kind	Value	annotation											
enumeration	Undetermined												
enumeration	N/A												
enumeration	Loan Term												

### element **TermType/Other\_Flags**

namespace	http://localhost/namespace																		
type	restriction of <b>xs:string</b>																		
properties	isRef 0 minOcc 0 maxOcc 1 content simple default N/A																		
facets	<table border="0"> <tr> <td>Kind</td> <td>Value</td> <td>annotation</td> </tr> <tr> <td>enumeration</td> <td>Official Name</td> <td></td> </tr> <tr> <td>enumeration</td> <td>N/A</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Pseudonym</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Birth Name</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Abbreviation</td> <td></td> </tr> </table>	Kind	Value	annotation	enumeration	Official Name		enumeration	N/A		enumeration	Pseudonym		enumeration	Birth Name		enumeration	Abbreviation	
Kind	Value	annotation																	
enumeration	Official Name																		
enumeration	N/A																		
enumeration	Pseudonym																		
enumeration	Birth Name																		
enumeration	Abbreviation																		
annotation	documentation Extra field for holding any flags not already represented in the term table (not used in ULAN)																		

### element **TermType/Term\_Contributors**

namespace	http://localhost/namespace
properties	isRef 0 minOcc 0 maxOcc 1 content complex
children	<a href="#">vp:Term_Contributor</a>

### element **TermType/Term\_Contributors/Term\_Contributor**

namespace	http://localhost/namespace
properties	isRef 0 minOcc 1 maxOcc unbounded content complex
children	<a href="#">vp:Contributor_id</a> <a href="#">vp:Preferred</a>

### element **TermType/Term\_Contributors/Term\_Contributor/Contributor\_id**

namespace	http://localhost/namespace
type	<b>xs:string</b>
properties	isRef 0 content simple

annotation	documentation A combination of the unique identifier and brief description separated by a forward slash (/) for a particular contributor to the ULAN
------------	---

#### element TermType/Term\_Contributors/Term\_Contributor/Preferred

namespace	http://localhost/namespace
type	<b>xs:string</b>
properties	isRef 0 content simple
annotation	documentation Indicates whether or not a term is preferred by a particular contributor

#### element TermType/Term\_Date

namespace	http://localhost/namespace
properties	isRef 0 minOcc 0 maxOcc 1 content complex
children	<a href="#">vp:Display Date</a> <a href="#">vp:Start Date</a> <a href="#">vp:End Date</a>

#### element TermType/Term\_Date/Display\_Date

namespace	http://localhost/namespace
type	<b>xs:string</b>
properties	isRef 0 content simple
annotation	documentation Label for term date information

#### element TermType/Term\_Date/Start\_Date

namespace	http://localhost/namespace
type	<a href="#">vp:Historical Date</a>
properties	isRef 0 content simple
facets	Kind Value annotation maxInclusive 9999
annotation	documentation Historical start date of term use

#### element TermType/Term\_Date/End\_Date

namespace	http://localhost/namespace
type	<a href="#">vp:Historical Date</a>
properties	isRef 0 content simple
facets	Kind Value annotation maxInclusive 9999
annotation	documentation Historical end date of term use

**element TermType/Term\_ID**

namespace	http://localhost/namespace
type	<b>xs:integer</b>
properties	isRef 0 content simple
annotation	documentation Integer value identifying a unique term record

**element TermType/Term\_Sources**

namespace	http://localhost/namespace
properties	isRef 0 minOcc 0 maxOcc 1 content complex
children	<a href="#">vp:Term_Source</a>

**element TermType/Term\_Sources/Term\_Source**

namespace	http://localhost/namespace
properties	isRef 0 minOcc 1 maxOcc unbounded content complex
children	<a href="#">vp:Source</a> <a href="#">vp:Page</a> <a href="#">vp:Preferred</a>

**element TermType/Term\_Sources/Term\_Source/Source**

namespace	http://localhost/namespace
type	<a href="#">vp:SourceType</a>
properties	isRef 0 content complex
children	<a href="#">vp:Source_ID</a>

**element TermType/Term\_Sources/Term\_Source/Page**

namespace	http://localhost/namespace
type	<b>xs:string</b>
properties	isRef 0 minOcc 0 maxOcc 1 content simple

**element TermType/Term\_Sources/Term\_Source/Preferred**

namespace	http://localhost/namespace
type	restriction of <b>xs:string</b>
properties	isRef 0 minOcc 0 maxOcc 1

	content simple
facets	Kind Value annotation enumeration Preferred enumeration Non Preferred enumeration Unknown enumeration Alternate Preferred

### element TermType/Term\_Text

namespace	http://localhost/namespace
type	xs:string
properties	isRef 0 content simple
annotation	documentation The term

### element TermType/Vernacular

namespace	http://localhost/namespace
type	restriction of xs:string
properties	isRef 0 content simple default Undetermined
facets	Kind Value annotation enumeration Vernacular enumeration Other enumeration Undetermined
annotation	documentation Flag indicating whether or not the term is the vernacular for a certain place

### simpleType Geog\_Date

namespace	http://localhost/namespace
type	restriction of xs:integer
used by	elements <a href="#">Vocabulary/Subject/Associative Relationships/Associative Relationship/AR Date/End Date ParentType/Parent Date/End Date RoleType/Role Date/End Date</a> <a href="#">Vocabulary/Subject/Associative Relationships/Associative Relationship/AR Date/Start Date ParentType/Parent Date/Start Date RoleType/Role Date/Start Date</a>
facets	Kind Value annotation maxInclusive 9999
annotation	documentation Years of geographic or geologic events

### simpleType Historic\_Flag\_Value

namespace	http://localhost/namespace
type	restriction of xs:string
used by	elements <a href="#">Vocabulary/Subject/Associative Relationships/Associative Relationship/Historic Flag RoleType/Historic Flag</a>
facets	Kind Value annotation enumeration Both enumeration Current

	enumeration Historical
	enumeration N/A
	enumeration Undetermined
annotation	documentation Valid historical flag values

### simpleType **Historical\_Date**

namespace	http://localhost/namespace
type	restriction of <b>xs:integer</b>
used by	elements <a href="#">EventType/Event_Date/End_Date</a> <a href="#">TermType/Term_Date/End_Date</a> <a href="#">EventType/Event_Date/Start_Date</a> <a href="#">TermType/Term_Date/Start_Date</a>
facets	Kind Value annotation maxInclusive 9999
annotation	documentation Years recording historical events

### simpleType **Merged\_Status\_Value**

namespace	http://localhost/namespace
type	restriction of <b>xs:string</b>
used by	element <a href="#">Vocabulary/Subject/Merged_Status</a>
facets	Kind Value annotation enumeration Merged enumeration Not Merged
annotation	documentation Valid merged status values

### simpleType **VP\_Subject\_ID**

namespace	http://localhost/namespace
type	restriction of <b>xs:long</b>
used by	element <a href="#">Vocabulary/Subject/Associative_Relationships/Associative_Relationship/Related_Subject_ID/VP_Subject_ID</a> attribute <a href="#">Vocabulary/Subject/@Subject_ID</a>
facets	Kind Value annotation minInclusive 1000000 maxInclusive 699999999
annotation	documentation The VCS unique identifier for a subject

### simpleType **VP\_Term\_ID**

namespace	http://localhost/namespace
type	restriction of <b>xs:long</b>
facets	Kind Value annotation minInclusive 1500000000 maxInclusive 4999999999

annotation	documentation The VCS unique identifier for a term
------------	---

XML Schema documentation generated by [XMLSpy](http://www.altova.com/xmlspy) Schema Editor <http://www.altova.com/xmlspy>