

# The Role of LOD Datasets

## **The Getty Vocabularies and the Significance of Five-Star LOD Datasets**

Marcia Lei Zeng,  
Kent State University, USA

International Terminology Working Group  
Getty Research Institute, L.A.  
August 22 – 24, 2016

## Five-Star Data ★★★★★

Sir Tim Berners-Lee, the inventor of the WWW and the initiator of Linked Data, presented a Star Scheme for measuring the rank of a dataset



Available on the web (whatever format) *but with an open licence, to be Open Data*



Available as machine-readable structured data (e.g. excel instead of image scan of a table)



as (2) plus non-proprietary format (e.g. CSV instead of excel)




All the above plus, Use open standards from W3C (RDF and SPARQL) to identify things, so that people can point at your stuff



All the above, plus: Link your data to other people's data to provide context

<https://www.w3.org/DesignIssues/LinkedData.html>


What is the “Getty Vocabularies”?  
(i.e., Why does any dataset need to care about it?)



“Why Choose the Getty Vocabularies? There are so many...”

In the BARTOC registry  
(thesaurus, ontology, classification)  
KOS registered: **1836**

2016.05.27



Currently indexed vocabularies  
1,836

**BARTOC.org**  
Basel Register of Thesauri, Ontologies & Classifications


Philosophy and Psychology	67
Religion	79
Literature	122
Language	128
Arts and Recreation	250
Pure Science	334
General works, Computer science and Information	380
Technology	408
History and Geography	428
Social sciences	842

<http://bartoc.org/>

in the Datahub

LOD KOS registered: **1251**  
(about a half are ontologies)

2016.03.15



**datahub**  
The easy way to get, use and share data

Datasets Organizations About Blog Help Search

**/ Datasets**

Organizations Clear All Add Dataset

HeritageData (14)

Global (9)

Linking Open Data C... (7)

bioportal (5)

OWLG (4)

The Getty Trust (3)

Library Linked Data (2)

VU University Amste... (2)

Linking Open Data (2)

Dictionaries (2)

Show More Organizations

thesaurus

**67 datasets found for "thesaurus"** Order by: Relevance

**thesaurus**  
thesaurus alternative

**UNESCO Thesaurus**  
The UNESCO Thesaurus is a controlled and structured list of terms used in subject areas of documents and publications in the fields of education, culture...

add/keyword HTML rdf/turtle XML example/ld+end example/turtle LODs

<https://datahub.io/>


Marcia Zeng@ Getty ITWG2016

4

To be a five-star LOD dataset,  
one has to be already a five-star product

**The Getty Vocabularies -- is a five-star vocabulary**

- High quality authority control of appellations representing things;
- Multilingual and multi-cultural; historical and contemporary;
- High specificity while comprehensive; continual and open-ended;
- One of the few selected vocabularies that are being:
  - recommended or required by many important metadata standards (e.g., DC., VRA Core, CCO, etc.)
  - used as examples at national and international standards for structured vocabularies (e.g., ISO25964-1 and ISO25964-2, NISO Z39.19)
  - adopted by cross-country and cross-domain data services, in addition to many institutions' (e.g., Europeana, DPLA (Digital Public Library of America))
  - widely studied by researchers. Google Scholar shows results when searching (exact match):
    - 2,110 entries for "Art and Architecture Thesaurus"
    - 3,570 for "Thesaurus of Geographic Names"
    - 89 for "Cultural Objects Name Authority"
    - 72 for "Union List of Artist Names"
    - 355 for "Getty Vocabularies" ... ..



2016.07.20

In comparison:


- "Eurovoc": 2,220
- "Library of Congress Name Authority": 768

— ...

Marcia Zeng@ Getty ITWG2016

# What is the “Getty Vocabularies”?

(i.e., Why does any dataset need to care about it?)





Porphyry (234-ca. 305 CE)  
Greek philosopher

In his *Isagoge* ("Introduction" to Aristotle's "Categories"), he

- reframed Aristotle's original predicable into a decisive list of five classes
  - genus (genos),
  - species (eidos),
  - difference (diaphoro),
  - property (idion), and
  - accident (sumbebekos).
- introduced a hierarchical, finite structure of classification

## Porphyrian tree





Image: A Porphyrian tree, originally draw by the 13<sup>th</sup> century logician Peter of Spain.

[http://www.tertullian.org/fathers/porphyry\\_isagogue\\_01\\_intro.htm](http://www.tertullian.org/fathers/porphyry_isagogue_01_intro.htm)

[https://en.wikipedia.org/wiki/Porphyrian\\_tree](https://en.wikipedia.org/wiki/Porphyrian_tree)



## Llull: Tree of science


Ramon Llull (Catalan, 1232–1315)



<http://www.historyofinformation.com/expanded.php?id=3862>

1295 – 1296, Ramon Llull published **Arbor scientiae** (Tree of science)

This encyclopedia and pioneering work in knowledge representation included sixteen trees of scientific domains following the initial tree called the *arbor scientiae*.



Page 123



Page 92



Page 453



Page 339




Page 181

Image source: a version published in Lyon, 1635, available through Google Books.


[https://books.google.com.tw/books?id=I64oL87aiS0C&source=gbs\\_navlinks\\_s](https://books.google.com.tw/books?id=I64oL87aiS0C&source=gbs_navlinks_s)





Page from Darwin's notebooks around July 1837 showing his first sketch of an evolutionary tree


*Generelle Morphologie der Organismen* by Ernst Haeckel (1866)




Darwin, Charles (1859). *On the Origin of Species*, pp. 116–117.

[https://en.wikipedia.org/wiki/Tree\\_of\\_life\\_%28biology%29](https://en.wikipedia.org/wiki/Tree_of_life_%28biology%29)


Marcia Zeng@ Ge





# What is the “Getty Vocabularies”?

(i.e., Why does any dataset need to care about it?)



## Ranganathan's Faceted Classification

- developed prior to the existence of computers

### PMEST facets:

- Personality** [P] is best thought of as "the thing itself,"
- Matter** [M] is the material of which the thing is composed,
- Energy** [E] is the action performed on or by the thing,
- Space** [S] is where the action takes place,
- Time** [T] is when it takes place.

WHO

WHAT

HOW

WHERE

WHEN

*Colon Classification 1933-*

Synthesis power

'What distinguishes the universe of current knowledge is that it is a dynamical continuum. It is ever growing; new branches may stem from any of its infinity of points at any time; they are unknowable at present. They cannot therefore be **enumerated** here and now; nor can they be anticipated, their filiations can be determined only after they appear" (Ranganathan, 1951).




**S. R. Ranganathan**  
Mathematician

Shiyali Ramamrita Ranganathan was a mathematician and librarian from India. His most notable contributions to the field were his five laws of library science and the development of the first major ... Wikipedia

**Born:** August 9, 1892, Sirkazhi, India  
**Died:** September 27, 1972, Bangalore, India  
**Education:** Madras Christian College, University College London

**Books**


			
The Five Laws of Library S... 1931	Classified Catalogue Code: Wit... 1934	Ramanujan: The Man and the M... 1967	Document... Genesis and Deve... 1967



# Applications of Faceted Structures


Many types of information tools and systems have been designed from faceted principles.

- Classification schemes
  - *Universal Decimal Classification (UDC)*
  - *Colon Classification*
- Faceted thesauri
  - *Art and Architecture Thesaurus (AAT)*
  - *Thesaurofacets*
  - Library of Congress' new vocabularies
- Computerized indexing systems
  - E.g., PRECIS, POPSI
- Expert systems
- Information architecture
  - websites
  - data visualization
- Ontologies



Leshan Giant Buddha Scenic Area

- a UNESCO World Heritage Site




- 71-metre (233 ft) tall stone statue,
- built during the Tang Dynasty (618–907),
- depicting Maitreya (彌勒菩薩), a bodhisattva, (a future Buddha).

Leshan Giant Buddha, photo taken by M.Zeng 2015.07.11, Sichuan, China

- Top of the AAT hierarchies
- .... Associated Concepts Facet
- ..... Associated Concepts (hierarchy name)
- .... Physical Attributes Facet
- ..... Attributes and Properties (hierarchy name)
- ..... Conditions and Effects (hierarchy name)
- ..... Design Elements (hierarchy name)
- ..... Color (hierarchy name)
- .... Styles and Periods Facet
- ..... Styles and Periods (hierarchy name)
- .... Agents Facet
- ..... People (hierarchy name)
- ..... Organizations (hierarchy name)
- ..... Living Organizations (hierarchy name)
- ..... agents (hierarchy name)
- .... Activities Facet
- ..... Disciplines (hierarchy name)
- ..... Functions (hierarchy name)
- ..... Events (hierarchy name)
- ..... Physical Processes (hierarchy name)
- ..... Processes (hierarchy name)
- ..... activities (hierarchy name)
- .... Materials Facet
- ..... Materials (hierarchy name)
- .... Objects Facet
- ..... Built Environment (hierarchy name)
- ..... Components (hierarchy name)
- ..... Furnishings (hierarchy name)
- ..... Object Genres (hierarchy name)
- ..... Object Groupings and Systems (hierarchy name)
- ..... Visual and Verbal Communication (hierarchy name)
- .... Brand Names Facet
- ..... Brand Names (hierarchy name)

- Top of the TGN hierarchy (hierarchy root)
- .... World
- ..... [ view physical features ]
- ..... Abbasid Caliphate (historical region)
- ..... Africa (continent)
- ..... Alexandrian Empire (former nation/state)
- ..... Antarctica (continent)
- ..... Arctic (general region)
- ..... Asia (continent)



How cultural objects (and their images) can be researched /studied/ exhibited/displayed/ linked/ searched/ browsed/shared/ liked/...?

--Getty Vocab together provides a multi-faceted framework for organizing data and information for them.


- ... St

**Top of the CONA Hierarchy**

- .... Built Works
- .... Movable Works
- .... Visual Surrogates
- .... Conceptual Works
- .... Unid




**The Getty Iconography Authority**  
 Named events, religious/mythological iconography, fictional characters and places, themes from literature





1962



1963




2015

1959-1961: Three Years  
of Natural Disasters

Images from a set of postcards.

# What is the “Getty Vocabularies”?

(i.e., Why does any dataset need to care about it?)



## Art & Architecture Thesaurus (AAT)'s Path to LOD

- ☑ 1970s started
- ☑ 1983 @ the Getty
- ☑ 1990, 1994  
Published  
(hardcopy and e-  
version)

- ☑ 2011.07  
SKOSifying pilot  
study

- ☑ 2013 ontology
- ☑ 2014.02  
published as  
LOD


Controlled vocabulary



SKOSified value vocabulary



LOD dataset, a knowledge  
base



AAT 2016.08-01 : concepts: 45077; terms: 357409\*

\*Results based on the query links at  
[https://en.wikipedia.org/wiki/Art %26 Architecture Thesaurus](https://en.wikipedia.org/wiki/Art_%26_Architecture_Thesaurus) for counting  
'concepts' and 'terms'.

**ID:** 300198841

**rhyta** (drinking vessels, <vessels for serving and consuming food>, ... Furni-Name)

Note! Refers to vessels from Ancient Greece, eastern Europe, or the Middle East with two openings, one at the top for filling and one at the base so that liquid can be poured. Drinking was done by holding the rhyton above the drinker's head with two openings, one at the top for filling and one at the base so that liquid can be poured. Drinking was done by holding the rhyton above the drinker's head with two openings, one at the top for filling and one at the base so that liquid can be poured.

**Terms:**

- rhyta (preferred,C,U,I,C,English-P,D,U,Greek (transliterated)-P,D,U,PN,Spanish,AD,U,SN)
- rhyton (C,U,English,AD,U,SN)(Greek (transliterated),AD,U,SN)(Spanish,AD,U,SN)
- rhytons (C,U,English,UF,U,N)(French-P,D,U,PN)(Spanish-P,D,U,PN)
- rhea (vessels) (C,U,English,UF,U,N)
- rheas (C,U,English,UF,U,N)
- rhepe (C,U,English,UF,U,N)
- rhépe (C,U,Ancient Greek,UF,U,U)
- rhyton (C,U,Ancient Greek (transliterated),UF,U,U)
- rytons (C,U,Dutch-P,D,U,U)
- ryton (C,U,Dutch,AD,U,U)
- ritons (C,U,French,UF,U,N)
- riten (C,U,French,UF,U,N)
- ritens (C,U,Spanish,UF,U,N)
- ritón (C,U,Spanish,UF,U,SN)
- escanciadors (C,U,Spanish,UF,U,SN)

**Facet/Hierarchy Code:** V,TQ

**Hierarchical Position:**

- Objects Facet
  - ... Furnishings and Equipment (Hierarchy Name) (G)
  - ... Containers (Hierarchy Name) (G)
  - ... containers (receptacles) (G)
  - ... containers by function or context> (G)
  - ... <culinary containers> (G)
  - ... <containers for serving and consuming food> (G)
  - ... <vessels for serving and consuming food> (G)
  - ... drinking vessels (G)
  - ... rhyta (G)

**Additional Parents:**

- Objects Facet
  - ... Furnishings and Equipment (Hierarchy Name) (G)
  - ... Containers (Hierarchy Name) (G)
  - ... containers (receptacles) (G)
  - ... containers by function or context> (G)
  - ... ceremonial containers (G)
  - ... ceremonial vessels (G)
  - ... rhyta (G)
- Objects Facet
  - ... Furnishings and Equipment (Hierarchy Name) (G)
  - ... Containers (Hierarchy Name) (G)
  - ... containers (receptacles) (G)
  - ... containers by form> (G)
  - ... vessels (containers) (G)
  - ... vases (G)
  - ... plastic vases (ancient vessels) (G)
  - ... rhyta (G)

**Additional Notes:**

- Dutch: Vaten uit de Griekse rhyta in de vorm van een dierenkop, werd van om wijn
- Spanish: ...

**Related concepts:**

- distinguished from ... **drinking horns** (drinking vessels, <vessels for serving and consuming Equipment (Hierarchy Name)> (300043229)
- distinguished from ... **stirrup cups** (drinking vessels, <vessels for serving and consuming Equipment (Hierarchy Name)> (300197140)
- distinguished from ... **sturzbechers** (beakers (drinking vessels), drinking vessels, ... Furni-Name) (300197148)

© 2014 J. Paul Getty Trust, author: Gregg Garcia. For educational

Getty Vocabularies: LOD SPARQL
Any Search... Search Brief

## rhyta

Source: <http://vocab.getty.edu/aat/300198841>

RDF

Subject (100 of 193) Predicate Object All

Website | Hierarchy | Download in: [JSON](#) | [RDF](#) | [N3/Turtle](#) | [N-Triples](#)

Inference: Explicit only

Statements in which the resource exists as a subject.

Predicate	Object
rdf:type	<a href="#">gvp:Concept</a>
rdfs:seeAlso	<a href="http://www.getty.edu/vow/AATFullDisplay?find=&amp;logic=AND&amp;note=&amp;subjectid=300198841">http://www.getty.edu/vow/AATFullDisplay?find=&amp;logic=AND&amp;note=&amp;subjectid=300198841</a>
dcterms:contributor	aat_contrib:10000000, aat_contrib:10000088, aat_contrib:10000131, aat_contrib:10000205, aat_contrib:10000250

<b>xl:prefLabel</b>	aat_term:1000198841-el-Latn, aat_term:1000198841-en, aat_term:1000316909-es, aat_term:1000316909-fr, aat_term:1000498969-nl, aat_term:1000589081-zh-Hant, aat_term:1000589085-zh-Latn-pinyin-x-notone, aat_term:1000589090-zh-Latn-wadegile,
<b>xl:altLabel</b>	
<b>dcterms:parentString</b>	drinking vessels, <vessels for serving and consuming food>, <containers for serving and consuming food>, culinary containers, <containers by function or context>, containers (receptacles), Containers (Hierarchy Name), Furnishings and Equipment (Hierarchy Name), Objects Facet
<b>dcterms:parentStringAbbrev</b>	drinking vessels, <vessels for serving and consuming food>, ... Objects Facet
<b>dcterms:displayOrder</b>	18
<b>dcterms:broaderGeneric</b>	aat:300194567, aat:300198333, aat:300198865
<b>dcterms:broaderPreferred</b>	aat:300194567
<b>dcterms:broaderNonPreferred</b>	aat:300198333, aat:300198865
<b>dcterms:prefLabelGVP</b>	aat_term:1000198841-en
<b>dcterms:prefLabelLoC</b>	
<b>dcterms:source</b>	aat_source:2000052378-subject-300198841, aat_source:2000052378-subject-300198841, aat_source:2000052378-subject-300198841, aat_source:2000052378-subject-300198841
<b>dc:identifier</b>	300198841
<b>dcterms:aat2100_distinguished_f...</b>	aat:300043229, aat:300197140, aat:300197148
<b>prov:wasGeneratedBy</b>	aat_rev:5000057716

Machine readable

→

Machine understandable & processable

Marcia Zeng@ Getty ITWG2016 22



- AAT release: 2014.02
- TGN release: 2014.08
- ULAN released: 2015.04
- CONA: [2016.01]

### ODC BY 1.0

- Ontology version 3.3

In addition to SKOS & SKOS-XL, it uses properties from other RDF vocabularies: FOAF, PROV, Schema, DC, DCT, ISO, RDF, RDFs, OWL, BIBO, WGS, XSD...

Version: 3.3  
 Last updated: 25 Apr 2016  
 HTML version: <http://vocab.getty.edu/doc/queries>  
 Queries UI: <http://vocab.getty.edu/queries>  
 Parent document: <http://vocab.getty.edu/doc>  
 Author: Vladimir Alexiev

Table of Contents  
 Table of Contents  
 1 Introduction  
 1.1 Sample Queries UI  
 1.2 Revisions  
 1.2.1 Version 3.0  
 1.2.2 Version 3.1  
 1.2.3 Version 3.2  
 1.2.4 Version 3.3  
 2 Finding Subjects  
 2.1 Top-level Subjects  
 2.2 **Descendants of a Given Parent**  
 2.3 Subjects by Contributor Id  
 2.4 Subjects by Contributor Abbrev  
 2.5 Preferred Ancestors  
 2.6 Full Text Search Query  
 2.7 Case-insensitive Full Text Search Query  
 2.8 Exact-Match Full Text Search Query  
 2.9 Find Person Occupations by broaderExtended  
 2.10 Find Person Occupations by Double FTS  
 2.11 Find Quartz Timepieces by Double FTS  
 2.12 Find Subject by Exact English PrefLabel

Query:  
 1 select \* {?x gvp.

Include inferred   
 Expand results over equivalent URIs  Submit

**2.2 Descendants of a Given Parent**  
 Let's look for AAT descendants of 300194567 "drinking vessels". This finds "rhyta" and other interesting records, including "Fichtelgebirgehumpen":

```
select * (?x gvp:broaderExtended aat:300194567 ;
skos:inScheme aat: ;
gvp:prefLabelGVP/xl:literalForm ?l)
```

**2.3 Subjects by Contributor Id**  
 You can easily find subjects contributed by a particular Contributor if you know the id. E.g. the Getty Conservation Institute (GCI) in AAT is aat\_contrib:10000088. Let's find their contributions to aat:300033618 paintings (visual works):

```
select * {
```

More at

<https://share.getty.edu/display/ITSLO/DV/AAT+Semantic+Representation>


Marcia Zeng@Getty IT WG 2016

[http://vocab.getty.edu/queries#Finding\\_Subjects](http://vocab.getty.edu/queries#Finding_Subjects)



Looks like the imagination has become a reality!

And many new potentials:



- Zeng, M.L. 2008-03-11. Discussions: The Semantic Web

## Note: “Open” is not simple


Using Open Source Software (OSS) as our example:

**Anthes, Gary. 2016. “Open Source Software No longer Optional”** *Communications of the ACM*. Aug. 2016, 59(8): 15- 17.

*Open development and sharing of software gained widespread acceptance 15 years ago, and the practice is accelerating.*

“[Keepers, GitHub’s head of open source software:] ‘We are seeing companies treating open source launches like product launches. They want to make a big splash, but they want to make sure there is support for the project after the launch.’”  
(Anthes, 2016, p.17)

<http://m.cacm.acm.org/magazines/2016/8/205050-open-source-software-no-longer-optional/fulltext>



-- *Communications of the ACM*.  
Aug. 2016, 59(8): 15- 17.

## Using Open Source Software (OSS) as our example

### Linux

a Unix-like computer operating system (OS) assembled under the model of free and open-source software development and distribution

- 1991, started as a computer operating system
- Today, it is the most widely used operating system in the world
- Tens of millions of servers and desktop computers run Linux
- e.g., Amazon's supercomputers

“We are seeing companies treating open source launches like product launches. They want to make a big splash, but they want to make sure there is support for the project after the launch.” (Anthes, 2016, p.17)

“Open” requires sustained efforts and strong supports.

### OpenSSL

a software library to be used in applications that need to secure communications against eavesdropping or need to ascertain the identity of the party at the other end.

- As of 2014 two thirds of all webservers use OpenSSL
- Wasn't a well-funded consortium, (the project has a budget of less than \$1 million a year and relies in part on donations.)
- The management team consists of four Europeans. The entire development group consists of 11 members, out of which 10 are volunteers; there is only one full-time employee,
- In 2014 the bug left an estimated 500,000 computers vulnerable to breaches of cryptographic security.

### GitHub

a web-based Git (software) repository hosting service

- the company GitHub has become the go-to place for developers and users of open software
- Users: large companies such as Apple, Google, Microsoft
- Users: thousands of start-ups
- Host 31 million open source projects used by 12 million developers.
- As of April 2016, GitHub reports having more than 14 million users and more than 35 million repositories, making it the largest host of source code in the world.

# Getty Vocabularies: LOD Sample Queries

Version: 3.3  
Last updated: 25 Apr 2016  
HTML version: <http://vocab.getty.edu/doc/queries>  
Queries UI: <http://vocab.getty.edu/queries>  
Parent document: <http://vocab.getty.edu/doc>  
Author: Vladimir Alexiev

## Table of Contents

- 1 Introduction
  - 1.1 Sample Queries UI
  - 1.2 Revisions
    - 1.2.1 Version 3.0
    - 1.2.2 Version 3.1
    - 1.2.3 Version 3.2
    - 1.2.4 Version 3.3
- 2 Finding Subjects
  - 2.1 Top-level Subjects
  - 2.2 Descendants of a Given Parent
  - 2.3 Subjects by Contributor Id
  - 2.4 Subjects by Contributor Abbrev
  - 2.5 Preferred Ancestors
  - 2.6 Full Text Search Query
  - 2.7 Case-insensitive Full Text Search Query
  - 2.8 Exact-Match Full Text Search Query
  - 2.9 Find Person Occupations by broaderExtended
  - 2.10 Find Person Occupations by Double FTS
  - 2.11 Find Quartz Timepieces by Double FTS
  - 2.12 Find Subject by Exact English PrefLabel

Query:

```
1 select * {?x gvp:broaderExtended aat:300033618}
```

Include inferred  Expand results over equivalent URIs

### 2.2 Descendants of a Given Parent

Let's look for AAT descendants of 300194567 "drinking vessels". This finds "rhyta" and other interesting records, including "Fichtelgebirgehumpen":

```
select * {?x gvp:broaderExtended aat:300194567 ; skos:inScheme aat: ; gvp:prefLabelGVP/xl:literalForm ?l}
```

### 2.3 Subjects by Contributor Id

You can easily find subjects contributed by a particular Contributor if you know the id. E.g. the Getty Conservation Institute (GCI) in AAT is aat\_contrib:10000088. Let's find their contributions to aat:300033618 paintings (visual works):

```
select * {
```

Note: There is a gap between "Open" and useful.



Query templates



Sparql endpoints




Full dataset dump



Individual entry dump

# What is the “Getty Vocabularies”?

(i.e., Why does any dataset need to care about it?)



# As knowledge bases of research

LOD KOS can be used for

- obtaining special graphs or datasets for very complicated questions, and
- revealing unknown relationships

e.g.,

- associative relations of agent (people or organization),
- places by type within a geo-bounding box,
- scientific names not in English or Latin,
- ...

## 5 ULAN-Specific Queries

- [5.1 Agents by Type](#)
- [5.2 Associative Relations of Agent](#)
- [5.3 Female Artists](#)
- [5.4 Female Artists as a Hobby](#)
- [5.5 Native American Painters](#)
- [5.6 Names of Native American Painters](#)
- [5.7 Architects Born in the 14th or 15th Century](#)
- [5.8 Indian and Pakistani Architectural Groups](#)
- [5.9 Non-Italians Who Worked in Italy](#)
- [5.10 Artists Associated to a Given Patron or His Family](#)
- [5.11 German, Dutch, Flemish printmakers, listed with their teachers](#)
- [5.12 Artists Whose Identity May be Associated or Confused With Another](#)
- [5.13 Ordered Hierarchy of Given Subject](#)
- [5.14 Ancient Artists or Groups by Nationality](#)
- [5.15 Art Repositories in the USA by State](#)
- [5.16 Popes and Their Reigns](#)
- [5.17 Pope Reign Durations](#)


## Getty Vocabularies: LOD Sample Queries

- [4\\_\\_ TGN-Specific Queries](#)
  - [4.1\\_\\_ Places by Type](#)
  - [4.2\\_\\_ Places, with English or GVP Label](#)
  - [4.3\\_\\_ Places by Direct and Hierarchical Type](#)
  - [4.4\\_\\_ Breakdown of Sovereign States by Type](#)
  - [4.5\\_\\_ Inhabited Places That Were Sovereign States](#)
  - [4.6\\_\\_ Places by Type and Parent Place](#)
  - [4.7\\_\\_ Places by Type, with placeTypePreferred](#)
  - [4.8\\_\\_ Places by Triple FTS](#)
  - [4.9\\_\\_ Places by FTS Parents](#)
  - [4.10\\_\\_ Capitals by Association](#)
  - [4.11\\_\\_ Members of the European Union](#)
  - [4.12\\_\\_ Members of the United Nations](#)
  - [4.13\\_\\_ Geo Chart with sgvizler](#)
  - [4.14\\_\\_ Column Chart with sgvizler](#)
  - [4.15\\_\\_ Countries and Capitals By Type and Containment](#)
  - [4.16\\_\\_ Places by Coordinate Bounding Box](#)
  - [4.17\\_\\_ Places Within Bounding Box](#)
  - [4.18\\_\\_ Places by Type Within Bounding Box](#)
  - [4.19\\_\\_ Places Outside Bounding Box \(Overseas Possessions\)](#)
  - [4.20\\_\\_ Places Nearby Each Other](#)

[http://vocab.getty.edu/queries#Top-level\\_Subjects](http://vocab.getty.edu/queries#Top-level_Subjects)

Marcia Zeng@ Getty ITWG2016

30



- obtaining special graphs or datasets for very complicated questions, and
- revealing unknown relationships

## Example: Getty LOD Vocab be the foundation of a network analysis

*Teacher-student relationship among French artists born between 1800 and 1950.*

query

[http://vocab.getty.edu/queries#German\\_Dutch\\_Flemish\\_printmakers\\_listed\\_with\\_their\\_teachers](http://vocab.getty.edu/queries#German_Dutch_Flemish_printmakers_listed_with_their_teachers)

hers

Teacher-student relationship among French artists born between 1800 and 1950.

### Foreword

This is a small test to explain the process following an emailed request after this [tweet](#) by Antoine Courtin ([@seebanusername](#))

### Legend:

-  student\_of/apprentice of
-  occurrences Count
-  teachers
-  students


### How ?

- 1st step: In SPARQLEndpoint at [vocab.getty.edu](http://vocab.getty.edu), use a query like this [example](#) and download json.
- 2nd step: insert the json file in OpenRefine and extract data (nationality, date, etc.) using split function and regex if needed.
- 3rd step: Export csv data with comma-separated value and use [table2net](#) to create a .gexf file (use bipartite Network).
- 4nd step: Open .gexf file in [Gephi](#) and play with clasement and partition to adjust edges before using Force atlas 2 as spatialisation.
- 5nd step: In the preview, change the settings as you like
- 6nd step: After downloading the plugin sigma.js, export your project and put it on a local server to try.

This example is based on requests by Vladimir Alexiev, available on the Getty's website. Thanks.

### Search:

Search by name



Nature Video. (2014, July 31). **Charting culture.**

<https://www.youtube.com/watch?v=4glhRkCcD4U>

Charting culture

time: 1944 CE

nature video

The data for the study was drawn from:

- Freebase (now Wikidata)
- the Allgemeines Künstlerlexikon/  
Artists of the World, and
- Union List of Artist Names (ULAN®)

Schich, M. et al. 2014. "A Network Framework of Cultural History."  
*Science*, 345(6196), 558-562.

0:32 / 5:36

When the “Getty Vocabularies”  
is a 5-star Data,  
it enables others to become 5-star too

# I. For Vocab Creators/Managers

Getty  
Vocabs

## 1. As the resources of

- creating, maintaining, enriching, extending, and
- translating a controlled vocabulary



- 2. As the vocabulary management facility


## II. For Data Producers & Providers

### Transforming databases to LOD Datasets

1. Enable owners of structured data to convert and publish their metadata under the LOD principles  
i.e., use HTTP URIs/IRIs as names of things
2. Enhance semantic consistency and interoperability
3. Increase the findability of their data.



# Output your data



## & Connecting your data to other LOD datasets

Use LOD KOS APIs  
--mapping outsiders

nomisma.org/id/ephesus

### ephesus (nmo:Mint)

**skos:prefLabel** Efese (*af*), Էֆեսոս (arm), افسس (*ar*), Efes (*az*), Город Эфес (*be*), Эфес (*bg*), Efesos (*br*), Efes (*bs*), Efes (*ca*), Efez (*cs*), Effesus (*cy*), Efesos (*da*), Ephesus (*de*), Ἐφεσός (*el*), Ephesus (*en*), Efeso (*eo*), Éfeso (*es*), Efeso (*eu*), افسس (*fa*), Efesos (*fi*), Efesus (*fo*), Ephèse (*fr*), Éfeso (*gl*), οιοσα (*he*), Efez (*hr*), Epheszosz (*hu*), Էֆեսոս (*hy*), Ephesos (*id*), Efesos (*is*), Efeso (*it*), エフェソス (*ja*), Efesus (*lv*), ეფესოსი (*ka*), 에페소스 (*ko*), Ephesus (*la*), Efesas (*lt*), Efesa (*lv*), Эфес (*mk*), Էֆեսոս (*mr*), Efesus (*ms*), Efesos (*nb*), Efese (*nl*), Efesos (*nn*), Efez (*pl*), Éfeso (*pt*), Efesos (*ro*), Эфес (*ru*), Efes (*sh*), Efez (*sk*), Efez (*sl*), Эфес (*sr*), Efesos (*sv*), Efeso (*sw*), எபேசஸ் (*ta*), Էֆեսոս (*th*), Efeso (*tl*), Эфес (*uk*), افسس (*ur*), Efes (*uz*), Ephesus (*vi*), 以弗所 (*zh*)

**skos:definition** The mint at the ancient site of Ephesus in Ionia. (*en*)

**dcterms:isPartOf** [http://nomisma.org/id/greek\\_numismatics](http://nomisma.org/id/greek_numismatics)

**geo:location** <http://nomisma.org/id/ephesus#this>

**rdf:type** skos:Concept

**skos:altLabel** Ephesos (*en*)

**skos:broader** <http://nomisma.org/id/ionia>

**skos:closeMatch** <http://collection.britishmuseum.org/id/place/x107267>

**skos:closeMatch** <http://dbpedia.org/resource/Ephesus>

**skos:closeMatch** <http://gazetteer.dainst.org/app/#/show/2287728>

**skos:closeMatch** <http://pleiades.stoa.org/places/599612>

**skos:closeMatch** <http://viaf.org/viaf/156158309>

**skos:closeMatch** <http://vocab.getty.edu/tgn/7002499>

**skos:closeMatch** <http://www.geonames.org/7522155>

**skos:closeMatch** <http://www.wikidata.org/entity/Q47611>

**skos:closeMatch** <https://www.freebase.com/m/02p8r>

### #this (geo:SpatialThing)

**dcterms:isPartOf** <http://nomisma.org/id/ionia#this>

**geo:lat** 37.939722

**geo:long** 27.340833

### Export

[GitHub File](#) [RDF/XML](#) [RDF/TTL](#) [JSON-LD](#) [KML](#)



Marcia Zeng@ Getty ITWG2016


37



## III. For Data Lakes (repositories)




1. Managing the interlinking between datasets
2. Data disambiguation
3. Entity alignment
4. Enabling multilingual and cross lingual discoveries



marcia.zeng@getty.com | Getty ITWG2016

39



Gruff 4.9.1 on AllegroGraph 4.9 smartlogicfranzdemo read / write 13,097,665 triples server 192.168.248.172

File View Display Edit Global Options Query Options Table Options Help

Cjif  SPARQL  Use Plagner Reindent Name Query Revisit Graph View Table View Outline View

Prolog Do Query Select All e2diabetes-and-lipitor-spar Graphical Query View

```

PREFIX franzOption_chunkProcessingAllowed: <franz:yes>
SELECT ?drug ?sideeffect ?trial ?title ?mesh WHERE {
  ?drug drugbank:brandName 'Lipitor' .
  ?sideeffect rdfs:label 'Type 2 Diabetes' .
  ?trial franz:discusses-drug ?drug .
  ?trial franz:discusses-side-effect ?sideeffect .
  ?trial linkedCt:brief_title ?title .
  ?trial smartlogicschema:mentions_MESH_psychiatry_and_psychology ?mesh .
} limit 5

```

Enter a SPARQL select or describe query in the text widget to the left, then press the Do Query button. All known namespace abbreviations will be in effect. Or first select the Prolog radio button and enter a Prolog query (perhaps with additional lisp forms as well). Basic Emacs keystrokes can be used to edit the text.

In the results table, left-click a column header cell to sort the table by that column. Left-click a node cell to visit that

5 Results Create Visual Graph Add to Visual Graph Write Text Report Save as CSV

?drug	?sideeffect	?trial	?title	?mesh
Atorvastatin	second degree heart block	Trial NCT00293748	Effect of Atorvastatin (Lipitor) on Gene Expression in People With Vascular Dise	Risk Management
Atorvastatin	carotid artery disease	Trial NCT00293748	Effect of Atorvastatin (Lipitor) on Gene Expression in People With Vascular Dise	Risk Management
Atorvastatin	atherosclerotic vascular disease	Trial NCT00293748	Effect of Atorvastatin (Lipitor) on Gene Expression in People With Vascular Dise	Risk Management
Atorvastatin	Heart Failure	Trial NCT00293748	Effect of Atorvastatin (Lipitor) on Gene Expression in People With Vascular Dise	Risk Management
Atorvastatin	cerebrovascular accident	Trial NCT00293748	Effect of Atorvastatin (Lipitor) on Gene Expression in People With Vascular Dise	Risk Management

use structured query to search data

use MeSH (Medical Subject Headings) as the concepts and topic hubs

Explicit Nodes from Query


- Label
- Brand Name


Explicit Predicates from Query


- Mentions MESH psychiatry and psychology
- Brief title
- Discusses-side-effect
- Discusses-drug
- Label
- Brand Name

SmartLogic

41







**Title** Het melkmeisje and Hollandse meesters | Kaiser, Johann Wilhelm (I)  
Hollandse meesters

**Description** Een melkmeisje schenkt melk in een kom. Rechts van haar een venster. De prent maakt deel uit van een serie van 25 prenten naar Hollandse meesters. Boven de afbeelding: PL III.


**People** Creator: Kaiser, Johann Wilhelm (I) (1632-10-31 — 1675-12-15)  
Contributor: Johannes Vermeer

**Classifications** Type: prints (visual works)  
Subject: milkmaid

## Screenshots captured from Europeana 2016.06.21

[http://www.europeana.eu/portal/record/90402/RP\\_P\\_OB\\_47\\_730.html](http://www.europeana.eu/portal/record/90402/RP_P_OB_47_730.html)

*Continue*



**Properties** Size: height 256 MM , width 176 MM  
Format: <http://vocab.getty.edu/aat/300014109>  
Language: nl = "paper (fiber product)"

**Time** Creation Date: 1823 - 1900

**Provenance** Publisher: [Rijksmuseum](#)  
Identifier: <http://hdl.handle.net/10934/RM0001.COLLECT.130468>  
Institution: [Rijksmuseum](#)  
Provider: [Rijksmuseum](#)  
Providing Country: [netherlands](#)  
First Published In Europeana: 2014-05-27  
Last Updated In Europeana: 2016-05-11


**Copyright** Rights: free of rights , <http://creativecommons.org/publicdomain/mark/1.0/>

**References And Relations** Dataset: [90402\\_M\\_NL\\_Rijksmuseum](#)

**Similar Items**

[www.europeana.eu/portal/record/90402/RP\\_P\\_OB\\_1749.html](http://www.europeana.eu/portal/record/90402/RP_P_OB_1749.html)

Search millions of historic newspapers on Europeana using a simple query like {skos\_concept:"http://vocab.getty.edu/aat/300026656"}




## Conclusions

Why does any dataset need to care about the “Getty Vocabularies”?”

If any of your needs can be met by applying  
the **Getty vocabularies**,  
then ride on it to reach the five-star level!

- ✓ For vocab creators/managers
- ✓ For LOD data creators
- ✓ For data service providers
- ✓ For researchers
- ✓ ... ..



Marcia Zeng@ Getty ITWG2016

46